

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MD NAZIM UDDIN ALI AHMED File. No.

: AAL02-394230

DOB/Gender

: 24-01-1987 (37 Yrs 8 Month 2 Days/Male)

Referral Doctor

: Dr. Humaira Mumtaz

Lab No.

: 22242700306

Referral Clinic

: Citicare Medical Center LLC

Request Date : 26-09-2024 20:00:25

Clinic File No

: 37410

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
***H.pylori Abs - IgG	24.6 ^H	AU/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA
			Doubliuli. 6 - 12	

Positive: > 12

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 26-09-2024 13:20:00

Authenticated On: 27-09-2024 14:12:55

Received On: 26-09-2024 20:01:00 Released On: 27-09-2024 14:49:43

Padmapriya Kumareshan Sr. Technician

DHA-P-2992011