

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : KATHRINE MARTIJA DIOKNO File. No. : AAL02-419035 DOB/Gender : 26-05-1998 (26 Yrs 4 Month 13 Days/Female) Referral Doctor : Dr. Ahsan Hussain

Lab No. : 22242830131 Referral Clinic : Citicare Medical Center LLC

Request Date : 09-10-2024 14:01:13 Clinic File No : 44451

: NAS ADMINISTRATION SERVICES LTD Insurance

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
*HSV-I, IgM	<10.00	U/mL	Negative < 20 Borderline: > = 20 to < 30 Positive >= 30	ELISA O

Seroconversion, producing IgM is indicative of an early primary infection. As the infection progresses the IgM antibodies decline so that they are usually no longer detectable after a few weeks or months. In contrast to primary infections, IgM is rarely detectable during HSV reactivations. Please note Reference Range Reviewed w.ef 10/11/2022.

Test result obtained through technical collaboration with Medsol group of laboratories.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 09-10-2024 01:30:00

Authenticated On: 10-10-2024 20:25:59

Received On: 09-10-2024 14:04:00 Released On: 10-10-2024 20:33:48

DHA-P-2992011



Esmeralda Obenita Lab Incharge