

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : ROBERTO ANDAYA JR File. No. : AAL02-419292 DOB/Gender : 14-06-1982 (42 Yrs 3 Month 26 Days/Male) Referral Doctor : Dr. Ahsan Hussain

Lab No. : 22242840215 Referral Clinic : Citicare Medical Center LLC

Request Date : 10-10-2024 14:53:23 Clinic File No : 42346

: ALMADALLAH HEALTHCARE MANAGEMENT Insurance

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
*HSV-I, IgM	<10.00	U/mL	Negative < 20 Borderline:> = 20 to < 30	ELISA
			Positive >= 30	

Seroconversion, producing IgM is indicative of an early primary infection. As the infection progresses the IgM antibodies decline so that they are usually no longer detectable after a few weeks or months. In contrast to primary infections, IgM is rarely detectable during HSV reactivations. Please note Reference Range Reviewed w.ef 10/11/2022.

Test result obtained through technical collaboration with Medsol group of laboratories.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 10-10-2024 13:25:00

Authenticated On: 11-10-2024 21:30:22

Received On: 10-10-2024 15:22:00 Released On: 11-10-2024 21:46:51

Lab Incharge

Esmeralda Obenita DHA-P-2992011