

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : FERDIE LOU DAMASING LIGTAS File. No. : DML01-1249116 DOB/Gender : 24-08-1990 (34 Yrs 1 Month 14 Days/Female) Referral Doctor : Dr. Ahsan Hussain

Lab No. : 22242840162 Referral Clinic : Citicare Medical Center LLC

Request Date : 10-10-2024 13:41:00 Clinic File No : 44403

: ALMADALLAH HEALTHCARE MANAGEMENT Insurance

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
*HSV-I, IgM	<10.00	U/mL	Negative < 20 Borderline: > = 20 to < 3	ELISA 0
		Positive >= 30		

Seroconversion, producing IgM is indicative of an early primary infection. As the infection progresses the IgM antibodies decline so that they are usually no longer detectable after a few weeks or months. In contrast to primary infections, IgM is rarely detectable during HSV reactivations. Please note Reference Range Reviewed w.ef 10/11/2022.

Test result obtained through technical collaboration with Medsol group of laboratories.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Authenticated On: 11-10-2024 21:30:02

Patient Sample Collected On: 10-10-2024 03:25:00

Received On: 10-10-2024 13:47:00 Released On: 11-10-2024 21:46:51

Esmeralda Obenita Lab Incharge DHA-P-2992011

