



Laboratory Investigation Report

Name : EMILY VERITY BLANXHE BOURN
DOB : 08/04/1997
Age / Gender : 26 Y / Female
Referred by : Dr. Enomen Goodluck Ekata
Centre : CITICARE MEDICAL CENTER

Ref No. :
Sample No. : 2410487086
Collected : 12/10/2024 09:05:00
Registered : 12/10/2024 16:09:09
Reported : 14/10/2024 17:57:24

MICROBIOLOGY

Test : CULTURE AND SENSITIVITY (THROAT SWAB)
Specimen : Throat Swab

ResultType : No Bacterial Pathogen Detected after 48 Hours of Aerobic Incubation.

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report
Final Report

FATHIMA MUHAMMED SAFIR

Microbiology Technologist
Printed on: 14/10/2024 17:59





BML317568

Laboratory Investigation Report

Name : Miss. EMILY VERITY BLANXHE BOURN
DOB : 08/04/1997
Age / Gender : 26 Y / Female
Referred by : Dr. Enomen Goodluck Ekata
Centre : CITICARE MEDICAL CENTER


Ref No. :
Sample No. : 2410487086
Collected : 12/10/2024 09:05
Registered : 12/10/2024 16:09
Reported : 12/10/2024 17:21

IMMUNOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
RAPID INFLUENZA TEST					
Rapid Influenza A	Negative			Negative	Immunochromatography
Rapid Influenza B	Negative			Negative	Immunochromatography

Sample Type : Throat / Nasal swab

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Vyoma V. Shah
Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Jaya Dev C J

JAYADEV C J
Laboratory Technologist

This is an electronically authenticated report

Page 1 of 1

Printed on: 14/10/2024 17:59

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

