

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبي للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO المارة دبي الإعتماد طبقا لمواصفات الأيزو

LABORATORY REPORT

Name : SARVAR EALAM

DOB/Gender : 10-01-1988 (36 Yrs 9 Month 17 Days/Male)

Lab No. : 22242910269

Request Date : 17-10-2024 19:17:31

Insurance : NAS ADMINISTRATION SERVICES LTD

File. No. : **AAL02-420649**

Referral Doctor : Dr. Ahsan Hussain

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 44557

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	5.80 ^H	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4 Diabetes: =>6.5	TINIA(turbidimetr ic inhibition immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic

goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23 . Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 17-10-2024 02:30:00

Authenticated On: 17-10-2024 20:35:53 Released

Received On: 17-10-2024 19:18:00 Released On: 17-10-2024 20:40:14 Sur-

Esmeralda Obenita

Lab Incharge DHA-P-2992011

