

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

: ELSIDDIG KHALED ABDELGADIR IBRAHIM Name File. No. : AAL02-421314 DOB/Gender : 14-08-2000 (24 Yrs 2 Month 18 Days/Male) Referral Doctor : Dr. Ahsan Hussain

Lab No. : 22242950268 Referral Clinic : Citicare Medical Center LLC

Request Date : 21-10-2024 18:10:49 Clinic File No : 44600

: NAS ADMINISTRATION SERVICES LTD Insurance

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
*HSV-I, IgM	<10.00	U/mL	Negative < 20 Borderline:> = 20 to < 30	ELISA
		Positive >= 30		

Seroconversion, producing IgM is indicative of an early primary infection. As the infection progresses the IgM antibodies decline so that they are usually no longer detectable after a few weeks or months. In contrast to primary infections, IgM is rarely detectable during HSV reactivations. Please note Reference Range Reviewed w.ef 10/11/2022.

Test result obtained through technical collaboration with Medsol group of laboratories.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Authenticated On: 22-10-2024 20:21:17

Patient Sample Collected On: 21-10-2024 02:00:00

Released On: 22-10-2024 20:28:15

Received On: 21-10-2024 18:11:00

Esmeralda Obenita

Lab Incharge DHA-P-2992011