

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : PHILIP SHIVERENJE AMIAMI File. No.

: AAL02-423434

DOB/Gender

: 28-08-1985 (39 Yrs 2 Month 4 Days/Male)

Referral Doctor

: Dr. Humaira Mumtaz

Lab No.

: 22243060340

Referral Clinic

: Citicare Medical Center LLC

Request Date : 01-11-2024 21:45:34

Clinic File No

: 29337

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	85.6 ^H	AU/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA

Positive: > 12

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Patient Sample Collected On: 01-11-2024 14:25:00

Authenticated On: 01-11-2024 23:53:16

Received On: 01-11-2024 22:08:00

Released On: 01-11-2024 23:53:26

Esmeralda Obenita Lab Incharge

DHA-P-2992011





