

LABORATORY REPORT

Name : **KHALIL UR REHMAN MUHAMMAD YAHYA** File. No. : **AAL02-302006**
DOB/Gender : **20-02-1985 (39 Yrs 9 Month 21 Days/Male)** Referral Doctor : **Dr. Enomen Goodluck Ekata**
Lab No. : **22243220209** Referral Clinic : **Citicare Medical Center LLC**
Request Date : **17-11-2024 16:20:33** Clinic File No : **28465**
Insurance : **NAS ADMINISTRATION SERVICES LTD**

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose (Fasting)	97.80	mg/dL	70 - 100	HK/G-6-PDH

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Fluoride Plasma

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 17-11-2024 07:39:00
Authenticated On : 17-11-2024 19:25:28

Received On : 17-11-2024 16:21:00
Released On : 17-11-2024 19:26:05



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: KHALIL UR REHMAN MUHAMMAD YAHYA	File. No.	: AAL02-302006
DOB/Gender	: 20-02-1985 (39 Yrs 9 Month 21 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22243220209	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 17-11-2024 16:20:33	Clinic File No	: 28465
Insurance	: NAS ADMINISTRATION SERVICES LTD		

LIPID PROFILE I CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Cholesterol	81.90	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: >or =240	Enzymatic- Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	124.00	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	25.00 ^L	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	38.50	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	18.40	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	3.28	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 17-11-2024 07:39:00
Authenticated On : 17-11-2024 19:25:28

Received On : 17-11-2024 16:21:00
Released On : 17-11-2024 19:26:05

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673