

LABORATORY REPORT

Name	: MICHELLE BANDILLA DIMERO	File. No.	: DML02-385454
DOB/Gender	: 11-12-1982 (41 Yrs 11 Month 16 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22243220200	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 17-11-2024 15:44:46	Clinic File No	: 44929
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.71	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	13.8	g/dl	12.0 - 15.0	Photometry-SLS
HCT	40.2	%	36.0 - 46.0	Hydrodynamic focusing (HF)
MCV	85.4	fl	83.0 - 101.0	Calculation
MCH	29.3	pg	27-32	Calculation
MCHC	34.3	g/dL	31.5 - 34.5	Calculation
Platelet Count	274	10 ³ /uL	150-400	HF (DCD)
WBC	8.94	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	69.8	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	23.2	%	20.0 - 40.0	Flow Cytometry
Monocytes	4.7	%	2-10	Flow Cytometry
Eosinophils	2.1	%	1 - 6	Flow Cytometry
Basophils	0.2	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	6.24	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.07	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.42	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.19	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.02	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 17-11-2024 10:47:00
Authenticated On : 17-11-2024 19:10:46

Received On : 17-11-2024 15:54:00
Released On : 17-11-2024 19:12:34



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: MICHELLE BANDILLA DIMERO	File. No.	: DML02-385454
DOB/Gender	: 11-12-1982 (41 Yrs 11 Month 16 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22243220200	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 17-11-2024 15:44:46	Clinic File No	: 44929
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	3.35	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 17-11-2024 10:47:00
Authenticated On : 17-11-2024 19:10:46

Received On : 17-11-2024 15:54:00
Released On : 17-11-2024 19:12:34

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: MICHELLE BANDILLA DIMERO	File. No.	: DML02-385454
DOB/Gender	: 11-12-1982 (41 Yrs 11 Month 16 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22243220200	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 17-11-2024 15:44:46	Clinic File No	: 44929
Insurance	: NEXTCARE		

**ELECTROLYTES PANEL (NA,K,CL,HCO3)
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Sodium	137.90	mmol/L	136 - 145	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
Potassium (serum)	5.27	mmol/L	3.5 - 5.5	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
Chloride (serum)	103.90	mmol/L	98 - 107	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
*Total CO2 (Bicarbonate)	23.20	mmol/L	22.0 - 29.0	PEP Carboxylase

Please note Reference Range Reviewed w.ef 15/10/23
Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.
Test results pertains only the sample tested and to be correlated with clinical history.
Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 17-11-2024 10:47:00
Authenticated On : 17-11-2024 19:10:46

Received On : 17-11-2024 15:54:00
Released On : 17-11-2024 19:12:34



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673