



BML491133

44370

2411502009

19/11/2024 18:22

19/11/2024 22:22

19/11/2024 23:48

Ref No.

Sample No.

Collected

Reported

Registered

Laboratory Investigation Report

Name : Mr. JUSTIN RODRIGUE ENDANG AMOUGOU

DOB : 15/04/1991 **Age / Gender** : 33 Y / Male

Referred by : Dr. Enomen Goodluck Ekata
Centre : CITICARE MEDICAL CENTER

CLINICAL PATHOLOGY

CLINICAL LATITUDE											
Test	Result	Flag	Unit	Reference Range	Methodology						
URINE ANALYSIS (ROUTINE)											
COLOR	Yellow			Pale to Dark Yellow	Photometry						
APPEARANCE	Turbid			-	Turbidimetry						
CHEMISTRY EXAMINATION											
SPECIFIC GRAVITY	1.029			1.002 - 1.035	Refractometry						
PH	7.0			5 - 9	Litmus paper						
GLUCOSE	Negative			Negative	GOD / POD						
BLOOD	Negative			Negative	Peroxidase						
PROTEIN	Negative			Negative	Protein error of pH indicator						
LEUKOCYTE ESTERASE	+++			Negative	Esterase						
UROBILINOGEN	Negative			Negative	Diazonium Salt						
BILIRUBIN	Negative			Negative	Diazonium Salt						
KETONE	Negative			Negative	Legal's test						
NITRITE	Negative			Negative	Griess test						
MICROSCOPIC EXAMINATION											
LEUCOCYTES	25-50	н	/HPF	1 - 4	Manual						
ERYTHROCYTES	0-2		/HPF	0 - 2	Manual						
SQUAMOUS EPITHELIAL CELLS	0-1		/HPF	< 20	Manual						
NON-SQUAMOUS EPITHELIAL CELLS	-		/HPF	Variable	Manual						
BACTERIA	-		/HPF	Absent	Manual						
CASTS	-		/HPF	Absent	Manual						
HYALINE CAST	-		/HPF	Absent	Manual						
FINE GRANULAR CAST	-		/HPF	Absent	Manual						
COARSE GRANUALR CAST			/HPF	Absent	Manual						
WAXY CAST	-		/HPF	Absent	Manual						
FATTY CAST	-		/HPF	Absent	Manual						
RBC CAST	-		/HPF	Absent	Manual						
WBC CAST	-		/HPF	Absent	Manual						
BACTERIAL CAST	-		/HPF	Absent	Manual						
EPITHELIAL CAST	-		/HPF	Absent	Manual						
CRYSTALS	-		/HPF	Absent	Manual						

9-6

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

Page 1 of 2

Modern

MUBASHER ZAHOOR Laboratory Technologist Printed on: 19/11/2024 23:52

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





44370

2411502009

19/11/2024 18:22

19/11/2024 22:22

19/11/2024 23:48

Ref No.

Sample No.

Collected

Reported

Registered

Laboratory Investigation Report

Mr. JUSTIN RODRIGUE ENDANG AMOUGOU Name

DOB : 15/04/1991 33 Y / Male Age / Gender

Referred by Dr. Enomen Goodluck Ekata CITICARE MEDICAL CENTER Centre

CLINICAL PATHOLOGY

CLINICALIAMOLOGI										
Test	Result	Flag	Unit	Reference Range	Methodology					
CALCIUM OXALATE	-		/HPF	Absent	Manual					
CALCIUM CARBONATE	-		/HPF	Absent	Manual					
CALCIUM PHOSPHATE	-		/HPF	Absent	Manual					
TRIPLE PHOSPHATE	-		/HPF	Absent	Manual					
URIC ACID CRYSTAL	-		/HPF	Absent	Manual					
AMMONIUM BIURATE	-		/HPF	Absent	Manual					
AMORPHOUS URATES	-		/HPF	Absent	Manual					
AMORPHOUS PHOSPHATES	-		/HPF	Absent	Manual					
CYSTINE	-		/HPF	Absent	Manual					
LEUCINE	-		/HPF	Absent	Manual					
TYROSINE	-		/HPF	Absent	Manual					
DRUG CRYSTAL	-		/HPF	Absent	Manual					
MUCUS THREADS	Present		/HPF	Absent	Manual					
BUDDING YEAST CELLS	-		/HPF	Absent	Manual					
НҮРНАЕ	-		/HPF	Absent	Manual					
OVA	-		/HPF	Absent	Manual					
CYST	-		/HPF	Absent	Manual					
PARASITE	-		/HPF	Absent	Manual					
ARTIFACTS	-		/HPF	Absent	Manual					

Comments: Please correlate clinically

INTERPRETATION NOTES:

Please note change in method (Roche Cobas U6500).

Note: "-" means Absent

URINE Sample Type:

End of Report

Dr. Adley Mark Fernandes M.D (Pathology) **Pathologist**

Dr. Vyoma V Shah M.D (Pathology) **Clinical Pathologist** This is an electronically authenticated report

Page 2 of 2

MUBASHER ZAHOOR Laboratory Technologist Printed on: 19/11/2024 23:52

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com