

LABORATORY REPORT

Name : **HAMNA SHOUKAT SHOUKAT ALI** File. No. : **AAL02-417086**
DOB/Gender : **27-05-2002 (22 Yrs 5 Month 27 Days/Female)** Referral Doctor : **Dr. Mohammed M Hamed Hashish**
Lab No. : **22243280140** Referral Clinic : **Citicare Medical Center LLC**
Request Date : **23-11-2024 14:14:04** Clinic File No : **44338**
Insurance : **NAS ADMINISTRATION SERVICES LTD**

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
TSH (Thyroid Stimulating Hormone)	1.5300	μIU/mL	0.27-4.20 Pregnancy: 1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10 3rd Trimester: 0.21 - 3.15	ECLIA

Conversion Formula: (Concentration in IU/ mL) x (1.0) = mIU/L. The determination of TSH serves as the initial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH level. Accordingly, TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. Please note Reference Range Reviewed w.ef 15/10/23 .

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 22-11-2024 22:18:00
Authenticated On : 23-11-2024 15:31:55

Received On : 23-11-2024 14:14:00
Released On : 23-11-2024 15:49:55



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673