

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : NIWANKA PRIYANTHI TENNAKOON DOB/Gender

: 04-07-1987 (37 Yrs 5 Month 4 Days/Female)

Lab No. : 22243430140

Request Date : 08-12-2024 14:31:43

Insurance : NEXTCARE File. No. : AAL02-429008

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 44000

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method		
COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL						
RBC	4.90 ^H	10^12/L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)		
Haemoglobin	14.1	g/dl	12.0 - 15.0	Photometry-SLS		
нст	43.1	%	36.0 - 46.0	Hydrodynamic focusing (HF)		
MCV	88.0	fl	83.0 - 101.0	Calculation		
MCH	28.8	pg	27-32	Calculation		
MCHC	32.7	g/dL	31.5 - 34.5	Calculation		
Platelet Count	321	10^3/uL	150-400	HF (DCD)		
WBC	11.37 ^H	10^3/uL	4.00 - 10.00	Flow Cytometry		
DIFFERENTIAL COUNT (%)						
Neutrophils	58.6	%	40.0 - 80.0	Flow Cytometry		
Lymphocytes	26.4	%	20.0 - 40.0	Flow Cytometry		
Monocytes	10.5 ^H	%	2-10	Flow Cytometry		
Eosinophils	3.6	%	1 - 6	Flow Cytometry		
Basophils	0.9	%	<1-2	Flow Cytometry		
Band Forms	0.0	%	< 6	Flow Cytometry		
DIFFERENTIAL COUNT (ABSOLUTE)						
Neutrophils (Absolute)	6.67	10^3/uL	2.00 - 7.00	Calculation		
Lymphocytes (Absolute)	3.00	10^3/uL	1.00 - 3.00	Calculation		
Monocytes (Absolute)	1.19 ^H	10^3/uL	0.20 - 1.00	Calculation		
Eosinophils (Absolute)	0.41	10^3/uL	0.02 - 0.50	Calculation		
Basophils (Absolute)	0.10	10^3/uL	0.02 - 0.10	Calculation		
Band Forms (Absolute)	0.00	10^3/uL	< 0.66	Calculation		

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui

Laboratory Director DHA/LS/248469


Patient Sample Collected On: 08-12-2024 12:15:00

Authenticated On: 08-12-2024 16:29:27

Received On: 08-12-2024 14:48:00 Released On: 08-12-2024 16:34:26

Medical Laboratory Technician

DHA-P-0123639







Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : NIWANKA PRIYANTHI TENNAKOON DOB/Gender

: 04-07-1987 (37 Yrs 5 Month 4 Days/Female)

Lab No. : 22243430140

Request Date : 08-12-2024 14:31:43

Insurance : NEXTCARE File. No. : AAL02-429008

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 44000

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	7.48 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 08-12-2024 12:15:00

Authenticated On: 08-12-2024 16:29:27

Received On: 08-12-2024 14:48:00 Released On: 08-12-2024 16:34:26

Rhea Suberon Medical Laboratory Technician DHA-P-0123639

