



Name Ms. BATHA BILE SIBANESIHLE HADEBE

**DOB** 10/06/1998

Age / Gender 26 Y / Female Referred by DR.ENOMEN

CITICARE MEDICAL CENTER Centre

Ref No. 44108

Sample No. 2412511809

Collected 10/12/2024 19:40

Registered 11/12/2024 14:53

Reported 11/12/2024 16:04

### **BIOCHEMISTRY**

Flag Unit Result Test **Reference Range** Methodology **C-REACTIVE PROTEIN (CRP)** < 0.6 < 5.0 Particle-enhanced mg/L Please note change.

Source: Roche IFU.

immunoturbidimetric assay

#### **INTERPRETATION NOTES:**

- 1. CRP measurements are used as aid in diagnosis, monitoring, prognosis, and management of suspected inflammatory disorders and associated diseases, acute infections and tissue injury.
- C-reactive protein is the classic acute phase protein in inflammatory reactions.
- 3. CRP is the most sensitive of the acute phase reactants and its concentration increases rapidly during inflammatory processes. The CRP response frequently precedes clinical symptoms, including fever. After onset of an acute phase response, the serum CRP concentration rises rapidly and extensively. The increase begins within 6 to 12 hours and the peak value is reached within 24 to 48 hours. Levels above 100 mg/L are associated with severe stimuli such as major trauma and severe infection (sepsis).
- 4. CRP response may be less pronounced in patients suffering from liver disease.
- 5. CRP assays are used to detect systemic inflammatory processes (apart from certain types of inflammation such as systemic lupus erythematosus (SLE) and Colitis ulcerosa); to assess treatment of bacterial infections with antibiotics; to detect intrauterine infections with concomitant premature amniorrhexis; to differentiate between active and inactive forms of disease with concurrent infection, e.g. in patients suffering from SLE or Colitis ulcerosa; to therapeutically monitor rheumatic disease and assess anti-inflammatory therapy; to determine the presence of post-operative complications at an early stage, such as infected wounds, thrombosis and pneumonia, and to distinguish between infection and bone marrow transplant rejection.

Serum Sample Type:

End of Report

Dr. Adley Mark Fernandes M.D (Pathology) **Pathologist** 

This is an electronically authenticated report

P.O Box: 49527

Dr. Vyoma V Shah M.D (Pathology) **Clinical Pathologist** 

Page 1 of 5

Tel: +971 4 398 8567

**BHAVYA THENDANKANDY Biochemistry Technologist** Printed on: 11/12/2024 16:42

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE









Name : Ms. BATHA BILE SIBANESIHLE HADEBE

DOB : 10/06/1998

Age / Gender : 26 Y / Female

Referred by : DR.ENOMEN

Centre : CITICARE MEDICAL CENTER

**Ref No.** : 44108

**Sample No.** : 2412511809

**Collected** : 10/12/2024 19:40 **Registered** : 11/12/2024 14:53

**Reported** : 11/12/2024 16:14

### **CLINICAL PATHOLOGY**

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS ( ROUTINE)					
COLOR	Yellow			Pale to Dark Yellow	Photometry
APPEARANCE	Turbid			-	Turbidimetry
CHEMISTRY EXAMINATION SPECIFIC GRAVITY	1.026			1.002 - 1.035	Refractometry
PH	6			5 - 9	Litmus paper
GLUCOSE	Negative			Negative	GOD / POD
BLOOD	++++			Negative	Peroxidase
PROTEIN	+			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	+			Negative	Esterase
UROBILINOGEN	Negative			Negative	Diazonium Salt
BILIRUBIN	Negative			Negative	Diazonium Salt
KETONE	Negative			Negative	Legal's test
NITRITE	Negative			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	1-4		/HPF	1 - 4	Microscopy
ERYTHROCYTES	>100	Н	/HPF	0 - 2	Microscopy
SQUAMOUS EPITHELIAL CELLS	0-1		/HPF	< 20	Microscopy
NON-SQUAMOUS EPITHELIAL CELLS	-		/HPF	Variable	Microscopy
BACTERIA	-		/HPF	Absent	Microscopy
CASTS	-		/HPF	Absent	Microscopy
HYALINE CAST	-		/HPF	Absent	Microscopy
FINE GRANULAR CAST	-		/HPF	Absent	Microscopy
COARSE GRANUALR CAST			/HPF	Absent	Microscopy
WAXY CAST			/HPF	Absent	Microscopy
FATTY CAST	-		/HPF	Absent	Microscopy
RBC CAST	-		/HPF	Absent	Microscopy
WBC CAST	-		/HPF	Absent	Microscopy
BACTERIAL CAST	-		/HPF	Absent	Microscopy
EPITHELIAL CAST	-		/HPF	Absent	Microscopy
CRYSTALS	Present		/HPF	Absent	Microscopy

9-6

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report Page 2 of 5

8

Jillian Joy Garcia Laboratory Technologist Printed on: 11/12/2024 16:42

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Name : Ms. BATHA BILE SIBANESIHLE HADEBE

DOB : 10/06/1998
Age / Gender : 26 Y / Female
Referred by : DR.ENOMEN

Centre : CITICARE MEDICAL CENTER

**Ref No.** : 44108

**Sample No.** : 2412511809

**Collected** : 10/12/2024 19:40 **Registered** : 11/12/2024 14:53

**Reported** : 11/12/2024 16:14

### **CLINICAL PATHOLOGY**

Test	Result	Flag	Unit	Reference Range	Methodology
CALCIUM OXALATE	Present		/HPF	Absent	Microscopy
CALCIUM CARBONATE	-		/HPF	Absent	Microscopy
CALCIUM PHOSPHATE	-		/HPF	Absent	Microscopy
TRIPLE PHOSPHATE	-		/HPF	Absent	Microscopy
URIC ACID CRYSTAL	-		/HPF	Absent	Microscopy
AMMONIUM BIURATE	-		/HPF	Absent	Microscopy
AMORPHOUS URATES	-		/HPF	Absent	Microscopy
AMORPHOUS PHOSPHATES	-		/HPF	Absent	Microscopy
CYSTINE	-		/HPF	Absent	Microscopy
LEUCINE	-		/HPF	Absent	Microscopy
TYROSINE	-		/HPF	Absent	Microscopy
DRUG CRYSTAL	- 5		/HPF	Absent	Microscopy
MUCUS THREADS	-		/HPF	Absent	Microscopy
BUDDING YEAST CELLS	-		/HPF	Absent	Microscopy
НҮРНАЕ	- 3		/HPF	Absent	Microscopy
OVA	-		/HPF	Absent	Microscopy
CYST	-		/HPF	Absent	Microscopy
PARASITE	-		/HPF	Absent	Microscopy
ARTIFACTS	-		/HPF	Absent	Microscopy
Comments + Please carrelate clinically					

Comments: Please correlate clinically.

### INTERPRETATION NOTES:

Please note change in method (Roche Cobas U6500).

Note: "-" means Absent

Sample Type: URINE

End of Report

Dr. Adley Mark Fernandes M.D (Pathology) Pathologist

This is an electronically authenticated report

Dr. Vyoma V Shah M.D (Pathology) Clinical Pathologist

Page 3 of 5

3

**Jillian Joy Garcia**Laboratory Technologist
Printed on: 11/12/2024 16:42

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Ms. BATHA BILE SIBANESIHLE HADEBE Name Ref No. 44108

DOB 10/06/1998 Sample No. 2412511809 26 Y / Female Age / Gender **Collected** 10/12/2024 19:40 Referred by DR.ENOMEN Registered 11/12/2024 14:53

CITICARE MEDICAL CENTER Centre Reported 11/12/2024 16:40

HEMATOLOGY								
Test	Result F	lag	Unit	Reference Range	Methodology			
COMPLETE BLOOD COUNT (CBC)								
HEMOGLOBIN	12.6		g/dL	12 - 15.5	Photometric			
RBC COUNT	4.1		10^6/μL	3.9 - 5	Electrical Impedance			
HEMATOCRIT	37.1		%	35 - 45	Calculation			
MCV	90.6		fL	82 - 98	Calculation			
МСН	30.9		pg	27 - 32	Calculation			
мснс	34.1		g/dL	32 - 37	Calculation			
RDW	13.2		%	11.9 - 15.5	Calculation			
RDW-SD	42		fL		Calculation			
MPV	8.8		fL	7.6 - 10.8	Calculation			
PLATELET COUNT	340		10^3/uL	150 - 450	Electrical Impedance			
РСТ	0.3		%	0.01 - 9.99	Calculation			
PDW	15.6		Not Applicable	0.1 - 99.9	Calculation			
NUCLEATED RBC (NRBC)^	2.2		/100 WBC		VCS 360 Technology			
ABSOLUTE NRBC COUNT^	0.14		10^3/uL		Calculation			
EARLY GRANULOCYTE COUNT (EGC)^	0.0		%		VCS 360 Technology			
ABSOLUTE EGC^	0.0		10^3/uL		Calculation			
WBC COUNT	6.5		10^3/μL	4 - 11	Electrical Impedance			
DIFFERENTIAL COUNT (DC)								
NEUTROPHILS	47		%	40 - 75	VCS 360 Technology			
LYMPHOCYTES	48		%	30 - 60	VCS 360 Technology			
EOSINOPHILS	1		%	0 - 6	VCS 360 Technology			
MONOCYTES	4		%	1 - 6	VCS 360 Technology			
BASOPHILS	0		%	0 - 1	VCS 360 Technology			
ABSOLUTE COUNT								
ABSOLUTE NEUTROPHIL COUNT	2.9		10^3/uL	1.6 - 8.25	Calculation			
ABSOLUTE LYMPHOCYTE COUNT	3.1		10^3/uL	1.2 - 6.6	Calculation			
ABSOLUTE MONOCYTE COUNT	0.4		10^3/uL	0.04 - 0.66	Calculation			
ABSOLUTE EOSINOPHIL COUNT	0.1		10^3/uL	0 - 0.66	Calculation			
ABSOLUTE BASOPHIL COUNT	0		10^3/uL	0 - 0.11	Calculation			

Dr. Vyoma V Shah **Dr. Adley Mark Fernandes** M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist** 

This is an electronically authenticated report

Page 4 of 5

**MOHAMMED RASHID CHENANGADATH** 

**Laboratory Technologist** Printed on: 11/12/2024 16:42

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Name Ms. BATHA BILE SIBANESIHLE HADEBE

DOB 10/06/1998 Age / Gender 26 Y / Female Referred by DR.ENOMEN

Centre CITICARE MEDICAL CENTER Ref No. 44108

Sample No. 2412511809

**Collected** 10/12/2024 19:40

Registered 11/12/2024 14:53

Reported 11/12/2024 16:40

### **HEMATOLOGY**

Result Flag Unit **Reference Range** Methodology **Test** 


**COMPLETE BLOOD COUNT (CBC)** 

**INTERPRETATION NOTES:** 

Please note update on CBC report format, reference ranges and method(Beckman Coulter).

EDTA Whole Blood Sample Type:

End of Report



**Dr. Adley Mark Fernandes** M.D (Pathology) **Pathologist** 

Dr. Vyoma V Shah M.D (Pathology) **Clinical Pathologist** This is an electronically authenticated report

Page 5 of 5



**MOHAMMED RASHID CHENANGADATH** 

**Laboratory Technologist** Printed on: 11/12/2024 16:42

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com