

### LABORATORY REPORT

Name : **SHAHID MAHMOOD MUHAMMAD SHARIF** File. No. : **AAL02-429761**  
DOB/Gender : **20-02-1986 (38 Yrs 9 Month 23 Days/Male)** Referral Doctor : **Dr. Enomen Goodluck Ekata**  
Lab No. : **22243480152** Referral Clinic : **Citicare Medical Center LLC**  
Request Date : **13-12-2024 14:32:07** Clinic File No : **43736**  
Insurance : **ALMADALLAH HEALTHCARE MANAGEMENT**

### CLINICAL BIOCHEMISTRY

| Test Name                      | Result                   | Units | Ref. Range                                                          | Method                                      |
|--------------------------------|--------------------------|-------|---------------------------------------------------------------------|---------------------------------------------|
| <b>HbA1c (Glycosylated Hb)</b> | <b>13.30<sup>H</sup></b> | %     | Normal: =< 5.6<br>High risk/prediabetes: 5.7-6.4<br>Diabetes: =>6.5 | TINIA(turbidimetric inhibition immunoassay) |

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23 .

#### Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

|                     |                                      |       |                                                                                |            |
|---------------------|--------------------------------------|-------|--------------------------------------------------------------------------------|------------|
| <b>Glucose(RBS)</b> | <b>427.00<sup>H</sup> [Critical]</b> | mg/dL | Fasting: 70 - 100<br>1 hr post eating: 70 - 187<br>2 hrs post eating: 70 - 134 | HK/G-6-PDH |
|---------------------|--------------------------------------|-------|--------------------------------------------------------------------------------|------------|

Please note Reference Range Reviewed w.ef 15/10/23

#### Remarks:

discussed with Dr. Solmaz

Test Repeated and Rechecked. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Fluoride Plasma

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (\*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui**  
Laboratory Director  
DHA/LS/248469

Patient Sample Collected On : 12-12-2024 21:54:00  
Authenticated On : 13-12-2024 15:18:39

Received On : 13-12-2024 14:37:00  
Released On : 13-12-2024 15:19:07



**Esmeralda Obenita**  
Lab Incharge  
DHA-P-2992011