

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SYED TAHIR ALI SEYED MUMTAZ ALI File. No. : AAL02-359412

DOB/Gender

: 03-04-1981 (43 Yrs 9 Month 10 Days/Male)

: Dr. Enomen Goodluck Ekata

: 22243590112

Referral Doctor Referral Clinic

Lab No.

: Citicare Medical Center LLC

Request Date : 24-12-2024 13:48:16

Clinic File No : 41479

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	63.6 ^H	AU/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA
			Positive: > 12	

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 23-12-2024 19:21:00

Authenticated On: 25-12-2024 15:56:22 Released On: 25-12-2024 15:57:44

Received On: 24-12-2024 14:06:00

Rhea Suberon Medical Laboratory Technician DHA-P-0123639

