

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : IHSSANE YAALA File. No. : AAL02-347858

DOB/Gender : 07-11-1998 (26 Yrs 2 Month 17 Days/Female) Referral Doctor : Dr. Enomen Goodluck Ekata Lab No. : 22250050110 Referral Clinic : Citicare Medical Center LLC

Request Date : 05-01-2025 13:59:21 Clinic File No : 32626

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

## **HAEMATOLOGY & COAGULATION**

Test Name	Result	Units	Ref. Range	Method		
COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL						
RBC	3.65 <sup>L</sup>	10^12/L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)		
Haemoglobin	10.5 <sup>L</sup>	g/dl	12.0 - 15.0	Photometry-SLS		
НСТ	33.0 <sup>L</sup>	%	36.0 - 46.0	Hydrodynamic focusing (HF)		
MCV	90.4	fl	83.0 - 101.0	Calculation		
MCH	28.8	pg	27-32	Calculation		
MCHC	31.8	g/dL	31.5 - 34.5	Calculation		
Platelet Count	202	10^3/uL	150-400	HF (DCD)		
WBC	5.46	10^3/uL	4.00 - 10.00	Flow Cytometry		
<b>DIFFERENTIAL COUNT (%)</b>						
Neutrophils	60.2	%	40.0 - 80.0	Flow Cytometry		
Lymphocytes	27.5	%	20.0 - 40.0	Flow Cytometry		
Monocytes	10.3 <sup>H</sup>	%	2-10	Flow Cytometry		
Eosinophils	1.1	%	1 - 6	Flow Cytometry		
Basophils	0.9	%	<1-2	Flow Cytometry		
Band Forms	0.0	%	< 6	Flow Cytometry		
DIFFERENTIAL COUNT (ABSOLUTE	2					
Neutrophils (Absolute)	3.29	10^3/uL	2.00 - 7.00	Calculation		
Lymphocytes (Absolute)	1.50	10^3/uL	1.00 - 3.00	Calculation		
Monocytes (Absolute)	0.56	10^3/uL	0.20 - 1.00	Calculation		
Eosinophils (Absolute)	0.06	10^3/uL	0.02 - 0.50	Calculation		
Basophils (Absolute)	0.05	10^3/uL	0.02 - 0.10	Calculation		
Band Forms (Absolute)	0.00	10^3/uL	< 0.66	Calculation		

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 05-01-2025 12:30:00 Received On: 05-01-2025 14:00:00 Authenticated On: 05-01-2025 16:00:35 Released On: 05-01-2025 16:13:33

Medical Laboratory Technician

DHA-P-0123639

Rhea Suberon





# Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : IHSSANE YAALA File. No. : AAL02-347858

DOB/Gender

: 07-11-1998 (26 Yrs 2 Month 17 Days/Female) Referral Doctor

: Dr. Enomen Goodluck Ekata

Lab No.

Referral Clinic

: 22250050110

: Citicare Medical Center LLC

Request Date : 05-01-2025 13:59:21

Clinic File No : 32626

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	13.20 <sup>H</sup>	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 05-01-2025 12:30:00

Authenticated On: 05-01-2025 16:00:35

Received On: 05-01-2025 14:00:00 Released On: 05-01-2025 16:13:33

Rhea Suberon Medical Laboratory Technician

DHA-P-0123639



