



Laboratory Investigation Report

Name : Mr. SAGAR Ref No.

 DOB
 : 26/02/2000
 Sample No.
 : 2501522433

 Age / Gender
 : 24 Y / Male
 Collected
 : 05/01/2025 18:00

 Referred by
 : DR. HUMAIRA MUMTAZ
 Registered
 : 07/01/2025 20:09

 Referred by
 : DR. HUMAIRA MUMTAZ
 Registered
 : 07/01/2025 20:09

 Centre
 : CITICARE MEDICAL CENTER
 Reported
 : 07/01/2025 21:20

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS (ROUTINE)					
COLOR	Pale Yellow	ale Yellow		Pale to Dark Yellow	Photometry
APPEARANCE	Clear			-	Turbidimetry
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.008			1.002 - 1.035	Refractometry
PH	7.0			5 - 9	Litmus paper
GLUCOSE	Negative			Negative	GOD / POD
BLOOD	Negative			Negative	Peroxidase
PROTEIN	Negative			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	Negative			Negative	Esterase
UROBILINOGEN	Negative			Negative	Diazonium Salt
BILIRUBIN	Negative			Negative	Diazonium Salt
KETONE	Negative			Negative	Legal's test
NITRITE	Negative			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	1-4		/HPF	1 - 4	Microscopy
ERYTHROCYTES	0-2		/HPF	0 - 2	Microscopy
SQUAMOUS EPITHELIAL CELLS	0-1		/HPF	< 20	Microscopy
NON-SQUAMOUS EPITHELIAL CELLS	-		/HPF	Variable	Microscopy
BACTERIA	-		/HPF	Absent	Microscopy
CASTS	-		/HPF	Absent	Microscopy
HYALINE CAST	-		/HPF	Absent	Microscopy
FINE GRANULAR CAST	-		/HPF	Absent	Microscopy
COARSE GRANUALR CAST	-		/HPF	Absent	Microscopy
WAXY CAST			/HPF	Absent	Microscopy
FATTY CAST	-		/HPF	Absent	Microscopy
RBC CAST	-		/HPF	Absent	Microscopy
WBC CAST	-		/HPF	Absent	Microscopy
BACTERIAL CAST	-		/HPF	Absent	Microscopy
EPITHELIAL CAST	-		/HPF	Absent	Microscopy
CRYSTALS	-		/HPF	Absent	Microscopy

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report Page 1 of 2

Milasher

MUBASHER ZAHOOR Laboratory Technologist Printed on: 07/01/2025 21:22

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Laboratory Investigation Report

Name Mr. SAGAR

DOB 26/02/2000 Age / Gender 24 Y / Male

Referred by DR. HUMAIRA MUMTAZ CITICARE MEDICAL CENTER Centre

Ref No. Sample No.

2501522433 Collected 05/01/2025 18:00

Registered 07/01/2025 20:09 07/01/2025 21:20 Reported

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
CALCIUM OXALATE	-		/HPF	Absent	Microscopy
CALCIUM CARBONATE	-		/HPF	Absent	Microscopy
CALCIUM PHOSPHATE	-		/HPF	Absent	Microscopy
TRIPLE PHOSPHATE	-		/HPF	Absent	Microscopy
URIC ACID CRYSTAL	-		/HPF	Absent	Microscopy
AMMONIUM BIURATE	-		/HPF	Absent	Microscopy
AMORPHOUS URATES	- /		/HPF	Absent	Microscopy
AMORPHOUS PHOSPHATES	-		/HPF	Absent	Microscopy
CYSTINE	-		/HPF	Absent	Microscopy
LEUCINE	-		/HPF	Absent	Microscopy
TYROSINE	-		/HPF	Absent	Microscopy
DRUG CRYSTAL			/HPF	Absent	Microscopy
MUCUS THREADS	-		/HPF	Absent	Microscopy
BUDDING YEAST CELLS	-		/HPF	Absent	Microscopy
НҮРНАЕ	-		/HPF	Absent	Microscopy
OVA	-		/HPF	Absent	Microscopy
CYST	-		/HPF	Absent	Microscopy
PARASITE	-		/HPF	Absent	Microscopy
ARTIFACTS	-		/HPF	Absent	Microscopy

INTERPRETATION NOTES:

Please note change in method (Roche Cobas U6500).

Note: "-" means Absent

Sample Type: URINE

End of Report

Dr. Adley Mark Fernandes Dr. Vyoma V Shah M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist**

This is an electronically authenticated report

Page 2 of 2

MUBASHER ZAHOOR Laboratory Technologist Printed on: 07/01/2025 21:22

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.



