

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



: Citicare Medical Center LLC

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Referral Clinic

: SHAHAN ANWAR ANWAR HUSSAIN JAVED File. No. Name : AAL02-415677

DOB/Gender Referral Doctor : 29-12-1989 (35 Yrs 8 Days/Male) : Dr. Humaira Mumtaz

Request Date : 06-01-2025 21:46:38 Clinic File No : 44231

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	42.3 ^H	AU/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA
			Positive: > 12	

A positive test result confirms the presence of specific antibodies.

: 22250060431

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Lab No.

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 06-01-2025 14:25:00 Received On: 06-01-2025 21:56:00 Authenticated On: 06-01-2025 23:28:20

Released On: 06-01-2025 23:32:12

Esmeralda Obenita Lab Incharge

DHA-P-2992011

