

## Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO المارة دبن للإعتماد طبقا لمواصفات الأيزو

## LABORATORY REPORT

Name : SUSEEMA SAJEEWANI KA

RANAWAKALAGE

DOB/Gender : 09-02-1978 (46 Yrs 11 Month 9 Days/Female) Referral Doctor

Lab No. : **22250180086** 

Request Date : 18-01-2025 13:02:16

Insurance : **NEXTCARE** 

File. No. : **AAL02-434330** 

Referral Doctor : **Dr. Sandia Bhojwani** 

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 36230

## **LIPID PROFILE I**

## CLINICAL BIOCHEMISTRY

CLINICAL BIOCHEMISTRY				
Test Name	Result	Units	Ref. Range	Method
Cholesterol	230.00	mg/dL	Desirable: < 200 Borderline:200 -239 High: >or =240	Enzymatic- Cholesterol esterase
Please note Reference Range Rev	viewed w.ef 15/10/23			
Triglycerides	132.00	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Rev	viewed w.ef 15/10/23			
HDL Cholesterol	41.80	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Rev	viewed w.ef 15/10/23			
LDL Cholesterol	172.00 <sup>H</sup>	mg/dL	Optimal: < 100 Near or above optimal:100-129 Borderline High: 130 - 159 High: 160 - 189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Rev	viewed w.ef 15/10/23			
*VLDL	16.20	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	5.50 <sup>H</sup>	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On: 18-01-2025 08:16:00

Authenticated On: 18-01-2025 14:35:17 Released On: 18-01-2025 14:52

Received On: 18-01-2025 13:11:00 Released On: 18-01-2025 14:52:25

(mg)

Padmapriya Kumareshan Sr. Technician

DHA-P-2992011

