

LABORATORY REPORT

Name	: SACHIN VITHAL BAUKAR	File. No.	: AAL02-348631
DOB/Gender	: 10-12-1984 (40 Yrs 1 Month 28 Days/Male)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22250380156	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 07-02-2025 14:12:04	Clinic File No	: 41062
Insurance	: NAS ADMINISTRATION SERVICES LTD		

RENAL FUNCTION PANEL (RANDOM) CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Albumin	4.50	g/dL	3.97 - 4.94	Colorimetric - BCG
Please note Reference Range Reviewed w.ef 15/10/23				
Calcium	9.73	mg/dL	8.6 - 10.3	NM-BAPTA
Please note Reference Range Reviewed w.ef 15/10/23				
Chloride (serum)	101.60	mmol/L	98 - 107	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
Creatinine (serum)	0.85	mg/dL	0.70-1.20	Jaffe-Alkaline Picrate
Please note Reference Range Reviewed w.ef 15/10/23				
Phosphorous	3.97	mg/dL	2.5-4.5	Molybdate UV
Please note Reference Range Reviewed w.ef 15/10/23 .				
Potassium (serum)	4.66	mmol/L	3.5 - 5.5	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
Sodium	137.90	mmol/L	136 - 145	ISE Indirect
Please note Reference Range Reviewed w.ef 15/10/2023.				
*Total CO2 (Bicarbonate)	27.70	mmol/L	22.0 - 29.0	PEP Carboxylase
Please note Reference Range Reviewed w.ef 15/10/23				
Urea	28.90	mg/dL	12.86 - 42.86	Urease/GLDH
Please note Reference Range Reviewed w.ef 15/10/23				
<i>Sample Type : Serum</i>				
Glucose(RBS)	89.30	mg/dL	Fasting: 70 - 100 1 hr post eating: 70 - 187 2 hrs post eating: 70 - 134	HK/G-6-PDH
Please note Reference Range Reviewed w.ef 15/10/23				
<i>Sample Type : Fluoride Plasma</i>				

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 06-02-2025 21:45:00
Authenticated On : 07-02-2025 15:35:48

Received On : 07-02-2025 14:12:00
Released On : 07-02-2025 15:42:25

Pring

Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: SACHIN VITHAL BAUKAR	File. No.	: AAL02-348631
DOB/Gender	: 10-12-1984 (40 Yrs 1 Month 28 Days/Male)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22250380156	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 07-02-2025 14:12:04	Clinic File No	: 41062
Insurance	: NAS ADMINISTRATION SERVICES LTD		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol	197.00	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: >or =240	Enzymatic- Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	171.00^H	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	41.20	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	134.00^H	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	21.80	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	4.78^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 06-02-2025 21:45:00
Authenticated On : 07-02-2025 15:35:48

Received On : 07-02-2025 14:12:00
Released On : 07-02-2025 15:42:25

Pring

**Padmapriya
Kumaresan**
Sr. Technician
DHA-P-2992011