

LABORATORY REPORT

Name	: QUEENIE PATALINGHUG JUGALBOT	File. No.	: AAL02-402844
DOB/Gender	: 13-02-1989 (35 Yrs 11 Month 26 Days/Female)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22250390171	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 08-02-2025 14:11:58	Clinic File No	: 43459
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.83 ^H	10 ¹² /L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.2	g/dl	12.0 - 15.0	Photometry-SLS
HCT	41.1	%	36.0 - 46.0	Hydrodynamic focusing (HF)
MCV	85.1	fl	83.0 - 101.0	Calculation
MCH	29.4	pg	27-32	Calculation
MCHC	34.5	g/dL	31.5 - 34.5	Calculation
Platelet Count	369	10 ³ /uL	150-400	HF (DCD)
WBC	10.47 ^H	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	54.0	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	33.0	%	20.0 - 40.0	Flow Cytometry
Monocytes	8.0	%	2-10	Flow Cytometry
Eosinophils	5.0	%	1 - 6	Flow Cytometry
Basophils	0.0	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	5.65	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	3.46 ^H	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.84	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.52 ^H	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.00 ^L	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Differential count done manually.
Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 07-02-2025 19:30:00
Authenticated On : 08-02-2025 16:14:19

Received On : 08-02-2025 14:26:00
Released On : 08-02-2025 16:20:33

Pring

Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: QUEENIE PATALINGHUG JUGALBOT	File. No.	: AAL02-402844
DOB/Gender	: 13-02-1989 (35 Yrs 11 Month 26 Days/Female)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22250390171	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 08-02-2025 14:11:58	Clinic File No	: 43459
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.
Test results pertains only the sample tested and to be correlated with clinical history.
Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 07-02-2025 19:30:00
Authenticated On : 08-02-2025 16:14:19

Received On : 08-02-2025 14:26:00
Released On : 08-02-2025 16:20:33

Pring

Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: QUEENIE PATALINGHUG JUGALBOT	File. No.	: AAL02-402844
DOB/Gender	: 13-02-1989 (35 Yrs 11 Month 26 Days/Female)	Referral Doctor	: Dr. Humaira Mumtaz
Lab No.	: 22250390171	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 08-02-2025 14:11:58	Clinic File No	: 43459
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	1.63	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non-specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 07-02-2025 19:30:00
Authenticated On : 08-02-2025 16:14:19

Received On : 08-02-2025 14:26:00
Released On : 08-02-2025 16:20:33

Pring

Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011