

LABORATORY REPORT

Name	: RAHMAN GHANI ABDUL QATAR	File. No.	: AAL02-439081
DOB/Gender	: 01-01-1990 (35 Yrs 1 Month 19 Days/Female)	Referral Doctor	: Dr. Amaizah Ishtiaq
Lab No.	: 22250510184	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 20-02-2025 14:09:35	Clinic File No	: 45906
Insurance	: NAS ADMINISTRATION SERVICES LTD		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose (Fasting)	100.00	mg/dL	70 - 100	HK/G-6-PDH

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Fluoride Plasma

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 20-02-2025 09:40:00
Authenticated On : 20-02-2025 16:07:19

Received On : 20-02-2025 14:11:00
Released On : 20-02-2025 16:21:09

Pring

**Padmapriya
Kumareshan**
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: RAHMAN GHANI ABDUL QATAR	File. No.	: AAL02-439081
DOB/Gender	: 01-01-1990 (35 Yrs 1 Month 19 Days/Female)	Referral Doctor	: Dr. Amaizah Ishtiaq
Lab No.	: 22250510184	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 20-02-2025 14:09:35	Clinic File No	: 45906
Insurance	: NAS ADMINISTRATION SERVICES LTD		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol	141.00	mg/dL	Desirable: < 200 Borderline: 200-239 High: ≥ 240	Enzymatic- Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	79.80	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: ≥ 500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	40.90	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	93.00	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160 - 189 Very High: ≥ 190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	7.10	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	3.45	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: ≥ 6	Calculation

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 20-02-2025 09:40:00
Authenticated On : 20-02-2025 16:07:19

Received On : 20-02-2025 14:11:00
Released On : 20-02-2025 16:21:09

Priya

**Padmapriya
Kumaresan**
Sr. Technician
DHA-P-2992011