

DOB/Gender

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

LABORATORY REPORT

: ISLAM ZAREEN GUL ZAREEN Name

: 12-03-1971 (53 Yrs 12 Month 28 Days/Male)

Lab No. : 22250560008

Request Date : 25-02-2025 09:32:24

: NEXTCARE Insurance

File. No. : AAL02-439652

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 36343

LIPID PROFILE I

CLINICAL BIOCHEMISTRY

CLINICAL BIOCHEWISTKY				
Test Name	Result	Units	Ref. Range	Method
Cholesterol	239.00	mg/dL	Desirable: < 200 Borderline:200 -239 High: >or =240	Enzymatic- Cholesterol esterase
Please note Reference Range Revie	ewed w.ef 15/10/23			
Triglycerides	217.00 ^H	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Revie	ewed w.ef 15/10/23			
HDL Cholesterol	42.00	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Revie	ewed w.ef 15/10/23			
LDL Cholesterol	162.00 ^H	mg/dL	Optimal: < 100 Near or above optimal:100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Revie	ewed w.ef 15/10/23			
*VLDL	35.00 ^H	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	5.69 ^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

--- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 24-02-2025 02:15:00 Received On: 25-02-2025 09:33:00 Authenticated On: 25-02-2025 13:08:34

Released On: 25-02-2025 13:15:37

Padmapriya

Kumareshan Sr. Technician DHA-P-2992011

