




Laboratory Investigation Report

Name	: Mr. IBAD RAHMAN SAIF RAHMAN	Ref No.	: 45955
DOB	: 01/01/1987	Sample No.	: 2502544060
Age / Gender	: 38 Y / Male	Collected	: 26/02/2025 12:00
Referred by	: Dr. Enomen Goodluck Ekata	Registered	: 26/02/2025 18:05
Centre	: CITICARE MEDICAL CENTER	Reported	: 26/02/2025 20:06

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
URIC ACID (SERUM)	7.9	H	mg/dL	3.4 - 7.0 Please note change. Source: Roche IFU.	Enzymatic colorimetric assay



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Vyoma V. Shah
Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Nazar Mohamed Ali
NAZAR MOHAMED ALI
Laboratory Technologist
Printed on: 26/02/2025 20:16

This is an electronically authenticated report

Page 1 of 2

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML531066

Laboratory Investigation Report

Name	: Mr. IBAD RAHMAN SAIF RAHMAN	Ref No.	: 45955
DOB	: 01/01/1987	Sample No.	: 2502544060
Age / Gender	: 38 Y / Male	Collected	: 26/02/2025 12:00
Referred by	: Dr. Enomen Goodluck Ekata	Registered	: 26/02/2025 18:05
Centre	: CITICARE MEDICAL CENTER	Reported	: 26/02/2025 20:06

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
LIPID PROFILE TEST					
CHOLESTEROL (TOTAL)	202	H	mg/dl	Desirable: < 200 Borderline High: 200 - 239 High: ≥ 240 Please note change. Source: Roche IFU.	Enzymatic colorimetric assay
HDL CHOLESTEROL	26	L	mg/dl	40 - 60 Please note change. Source: Roche IFU.	Homogeneous enzymatic colorimetric assay
LDL CHOLESTEROL DIRECT	132	H	mg/dl	Optimal: < 100 Near/Above Optimal: 100 - 129 Borderline High: 130 - 159 High: 160 - 189 Very High: ≥ 190 Please note change. Source: Roche IFU.	Homogeneous enzymatic colorimetric assay
VLDL CHOLESTEROL	47	H	mg/dL	< 30	Calculation
NON-HDL CHOLESTEROL	179	H	mg/dL	< 140	Calculation
TRIGLYCERIDES	233	H	mg/dl	Normal: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High: > 500 Source: Roche IFU.	Enzymatic colorimetric assay
TOTAL CHOLESTEROL / HDL RATIO	7.8	H		< 4.5	Calculation
LDL / HDL RATIO	5.1	H		< 3.5	Calculation

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Gyoma V. Shah
Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Nazar Mohamed Ali
NAZAR MOHAMED ALI
Laboratory Technologist

This is an electronically authenticated report

Page 2 of 2

Printed on: 26/02/2025 20:16

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

