



# **Laboratory Investigation Report**

Name : Mr. EHTISHAM JUNED JUNED NIAZ BEG

**DOB** : 29/04/1987 **Age / Gender** : 37 Y / Male

Referred by : Dr. Enomen Goodluck Ekata
Centre : CITICARE MEDICAL CENTER

**Ref No.** : 45968

**Sample No.** : 2502544046

**Collected** : 26/02/2025 14:00 **Registered** : 26/02/2025 17:48

**Reported** : 26/02/2025 19:02

### **CLINICAL PATHOLOGY**

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS ( ROUTINE)					
COLOR	Yellow			Pale to Dark Yellow	Photometry
APPEARANCE	Clear			-	Turbidimetry
CHEMISTRY EXAMINATION SPECIFIC GRAVITY	1.029			1.002 - 1.035	Refractometry
РН	6.0			5 - 9	Litmus paper
GLUCOSE	++++			Negative	GOD / POD
BLOOD	Negative			Negative	Peroxidase
PROTEIN	+			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	Negative			Negative	Esterase
UROBILINOGEN	Negative			Negative	Diazonium Salt
BILIRUBIN	Negative			Negative	Diazonium Salt
KETONE	Negative			Negative	Legal's test
NITRITE	Negative			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	1-4		/HPF	1 - 4	Microscopy
ERYTHROCYTES	0-2		/HPF	0 - 2	Microscopy
SQUAMOUS EPITHELIAL CELLS	0-1		/HPF	< 20	Microscopy
NON-SQUAMOUS EPITHELIAL CELLS	-		/HPF	Variable	Microscopy
BACTERIA	-		/HPF	Absent	Microscopy
CASTS	-		/HPF	Absent	Microscopy
HYALINE CAST	-		/HPF	Absent	Microscopy
FINE GRANULAR CAST	-		/HPF	Absent	Microscopy
COARSE GRANUALR CAST	_ <del>-</del>		/HPF	Absent	Microscopy
WAXY CAST			/HPF	Absent	Microscopy
FATTY CAST	-		/HPF	Absent	Microscopy
RBC CAST	-		/HPF	Absent	Microscopy
WBC CAST	-		/HPF	Absent	Microscopy
BACTERIAL CAST	-		/HPF	Absent	Microscopy
EPITHELIAL CAST	-		/HPF	Absent	Microscopy
CRYSTALS	Present		/HPF	Absent	Microscopy

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

(proisteono

CHRISTEENA FRANCIS Laboratory Technologist Printed on: 26/02/2025 19:05

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com

Page 1 of 2





# **Laboratory Investigation Report**

Name : Mr. EHTISHAM JUNED JUNED NIAZ BEG

**DOB** : 29/04/1987 **Age / Gender** : 37 Y / Male

Referred by : Dr. Enomen Goodluck Ekata
Centre : CITICARE MEDICAL CENTER

Reported

**Ref No.** : 45968

**Sample No.** : 2502544046

**Collected** : 26/02/2025 14:00 **Registered** : 26/02/2025 17:48

26/02/2025 19:02

**CLINICAL PATHOLOGY** 

Test	Result	Flag	Unit	Reference Range	Methodology
CALCIUM OXALATE	Present		/HPF	Absent	Microscopy
CALCIUM CARBONATE	-		/HPF	Absent	Microscopy
CALCIUM PHOSPHATE	-		/HPF	Absent	Microscopy
TRIPLE PHOSPHATE	-		/HPF	Absent	Microscopy
URIC ACID CRYSTAL	-		/HPF	Absent	Microscopy
AMMONIUM BIURATE	-		/HPF	Absent	Microscopy
AMORPHOUS URATES	- /		/HPF	Absent	Microscopy
AMORPHOUS PHOSPHATES	-		/HPF	Absent	Microscopy
CYSTINE	-		/HPF	Absent	Microscopy
LEUCINE	-		/HPF	Absent	Microscopy
TYROSINE	-		/HPF	Absent	Microscopy
DRUG CRYSTAL	-		/HPF	Absent	Microscopy
MUCUS THREADS	Present		/HPF	Absent	Microscopy
BUDDING YEAST CELLS	-		/HPF	Absent	Microscopy
НҮРНАЕ	-		/HPF	Absent	Microscopy
OVA	-		/HPF	Absent	Microscopy
CYST	-		/HPF	Absent	Microscopy
PARASITE	-		/HPF	Absent	Microscopy
ARTIFACTS	-		/HPF	Absent	Microscopy

Comments: Please correlate clinically.

#### INTERPRETATION NOTES:

Please note change in method (Roche Cobas U6500).

Note: "-" means Absent

Sample Type: URINE

End of Report

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

P.O Box: 49527

Page 2 of 2

Tel: +971 4 398 8567

Country Associated



Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE

reports@biosytech.ae

www.biosytech.com

proisteens

CHRISTEENA FRANCIS
Laboratory Technologist

Printed on: 26/02/2025 19:05