

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MAHA MUFID ABDULWAHAB AL

SAMAERAI

: 15-05-1967 (57 Yrs 10 Month 27 DOB/Gender

: NAS ADMINISTRATION SERVICES LTD

Days/Female)

Lab No. : 22250620160

Insurance

Request Date : 03-03-2025 14:21:04

File. No.

: DML02-743516

Referral Doctor : Dr. Amaizah Ishtiaq

: Citicare Medical Center LLC Referral Clinic

Clinic File No : 36485

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	4.75	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury.Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

These tests are accredited under ISO 15189:2022 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 02-03-2025 16:40:00

Authenticated On: 03-03-2025 15:54:16

Received On: 03-03-2025 14:21:00 Released On: 03-03-2025 16:22:45

Padmapriya Kumareshan

Sr. Technician DHA-P-2992011

