



BML536046

Laboratory Investigation Report

Name : ROSALY IGNACIO ARELLANO
DOB : 12/06/1976
Age / Gender : 48 Y / Female
Referred by : CITICARE MEDICAL CENTER
Centre : CITICARE MEDICAL CENTER

Ref No. : 34070
Sample No. : 2503549206
Collected : 10/03/2025 09:33
Registered : 10/03/2025 16:42
Reported : 12/03/2025 12:24

HAEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
PROTHROMBIN TIME (PT-INR)					
Prothrombin Time	42.1	CH	seconds	9.1 - 12.1	Photo-Optical
CONTROL (PT)	12.2		seconds	9.9 - 12.9	Photo-Optical
International Normalized Ratio (INR)	3.994	H		0.8 - 1.2 Therapeutic range: below*	Calculation Refer

Comments : Please correlate clinically.

INTERPRETATION NOTES :

For vitamin K antagonists (eg, warfarin), the prothrombin time (PT/INR) is recommended. Direct oral anticoagulant medications (non-vitamin K) should not be monitored with PT/INR or aPTT because the effect of these tests is not predictable.

*INR THERAPEUTIC RANGE:

Standard intensity warfarin therapeutic range: 2.0 – 3.0

High intensity warfarin therapeutic range: 2.5 – 3.5

Source: Mayo Clinic Laboratories

Sample Type : *Citrated Plasma*

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist


Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist


CHRISTEENA FRANCIS
Laboratory Technologist
 Printed on: 12/03/2025 12:26

This is an electronically authenticated report

Page 1 of 1

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

