

TRUST MEDICAL LABORATORY

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com

Organization Accredited
by Joint Commission International**LABORATORY INVESTIGATION REPORT**

Name : NAJEEB N. Referral Clinic : PESHAWAR MEDICAL CENTER (

D.O.B / Sex : 19-Aug-1984 (37 Years) / MALE Referral Doctor : DR. SAIQA

PatientID/Nationality : 156540 / NONE LabID / Clinic No. : **104731** / 29127

Test Name	Result	Unit	Ref. Range	Methodology
URINE ANALYSIS				
Colour	Yellow		Pale Yellow - Amber	
Appearance	Clear		Clear	
Chemical Examination				
Specific gravity	1.020		1.003 - 1.030	Manual dipstick assay
Ph	6.0		5.0 - 7.0	Manual dipstick assay
Glucose	Negative		Negative	Manual dipstick assay
Protein	Negative		Negative	Manual dipstick assay
Ketone	Negative		Negative	Manual dipstick assay
Urobilinogen	Negative		Normal	Manual dipstick assay
Bilirubin	Negative		Negative	Manual dipstick assay
Nitrite	Negative		Negative	Manual dipstick assay
Blood	Negative		Negative	Manual dipstick assay
Leukocytes	Negative		Negative	Manual dipstick assay
Microscopic Examination				
Pus cells	3-4	/HPF	< 4 cells / HPF	Microscopy-wet mount
RBC	1-2	/HPF	< 3 cells / HPF (can vary)	Microscopy-wet mount
Epithelial cells	1-2	/HPF	< /=10 cells/hpf	Microscopy-wet mount
Bacteria	None		None or Few (< 1000/ml)	Microscopy-wet mount
Crystals	Nil		Nil	Microscopy-wet mount
Mucus thread	Nil		Nil	Microscopy-wet mount
Cast	Nil		Nil	Microscopy-wet mount
Other	Nil		Nil	Microscopy-wet mount

**** End of Report ****



Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 19/Apr/22 08:12 AM
Reported On : 19/Apr/22 10:23 AM
Authorized On : 19/Apr/22 10:23 AM
Printed On : 19/Apr/22 05:18 PM

SILPA J S
LAB TECHNICIAN