

## MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : BABU ENGANDIYUR File. No. : AAL02-419293 DOB/Gender : 23-05-1976 (48 Yrs 11 Month 23 Days/Male) Referral Doctor : Dr. Aisha Umer

Lab No. : 22251180371 Referral Clinic : Citicare Medical Center LLC

Request Date : 28-04-2025 21:27:20 Clinic File No : 43480

Insurance : NEXTCARE

**CLINICAL BIOCHEMISTRY** 

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	11.40 <sup>H</sup>	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4	TINIA(turbidimetr
			Diabetes: =>6.5	immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic

goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23. Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 28-04-2025 15:41:00 Authenticated On: 28-04-2025 22:57:16

Released On: 28-04-2025 23:03:53

Received On: 28-04-2025 21:44:00

**Padmapriya** Kumareshan

Sr. Technician DHA-P-2992011



MEDSOL-RPT-2.3(1/19)