

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. SUSANT PAUDEL SHANKAR PRASAD PAUDEL	Sample UID No.	: 4079813
Age / Gender	: 27 Y /MALE	Sample Collected On	: 14-05-2025 12:15PM
Patient ID	: QLD079670	Registered On	: 14-05-2025 10:24PM
Referred By	: DR FARHAN	Reported on	: 16-05-2025 01:10PM
Referral Client	: CITICARE MEDICAL CENTER	External Patient ID	: 46844
Emirates ID / Passport No		Print Version	

CLINICAL PATHOLOGY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
Urine Routine <i>Sample : Urine</i>					
Color	Yellow	Pale Yellow			Refraction
Appearance	Clear	Clear			Refraction
pH	5.5	5 - 7.5			pH indicator
Specific Gravity	1.021	1.005 - 1.025			Ion Concentration
Urine Albumin	Negative	Negative			Automated Protein-Error-Of-Indicators
Glucose	Negative	Negative			GOD/POD
Ketones	Negative	Negative			Legal's Test
Notes: Interpretation- *Positive result is seen in fasting, Pregnancy, Starvation, Diabetic Ketoacidosis * False positive result can occur with high colour urine, high specific gravity , low pH, Drugs like - Levodopa metabolites compounds with Sulfhydryl groups All results should be correlated with clinical history.					
Bilirubin	Negative	Negative			Reflectance Photometry
Urobilinogen	Normal	Normal			Reflectance Photometry
Nitrite	Negative				Reflectance Photometry
Pus Cells	0 - 2	0 - 5	/hpf		Auto Image EvaluationModule(AIEM)/Microscopy
RBC	15-20	0-3	/hpf		Auto Image EvaluationModule(AIEM)/Microscopy
Epithelial Cells	0 - 1	0 - 2	/hpf		Auto Image EvaluationModule(AIEM)/Microscopy

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. SUSANT PAUDEL SHANKAR PRASAD PAUDEL	Sample UID No.	: 4079813
Age / Gender	: 27 Y /MALE	Sample Collected On	: 14-05-2025 12:15PM
Patient ID	: QLD079670	Registered On	: 14-05-2025 10:24PM
Referred By	: DR FARHAN	Reported on	: 16-05-2025 01:10PM
Referral Client	: CITICARE MEDICAL CENTER	External Patient ID	: 46844
Emirates ID / Passport No		Print Version	

Casts	Absent	Absent	/lpf		Auto Image EvaluationModule(AIEM)/Microscopy
Crystals	Absent	Absent	/lpf		Auto Image EvaluationModule(AIEM)/Microscopy
Mucus Thread	Absent	Absent			Auto Image Evaluation Module (AIEM)
Bacteria	Absent	Absent			Auto Image EvaluationModule(AIEM)/Microscopy
--- END OF CLINICAL PATHOLOGY---					