

## MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

#### LABORATORY REPORT

Name : FAHAD HASNAIN FIDA HUSSAIN DOB/Gender

: 11-03-1991 (34 Yrs 2 Month 13 Days/Male)

: NAS ADMINISTRATION SERVICES LTD

Lab No. : 22251440139

Insurance

Request Date : 24-05-2025 14:28:48

File. No.

: AAL02-1310903

Referral Doctor : Dr. Amaizah Ishtiag

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43030

## **HAEMATOLOGY & COAGULATION**

Test Name	Result	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (CB	C) WITH DIFFERENT	<u>IAL</u>		
RBC	5.20	10^12/L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.8	g/dl	13.0 - 17.0	Photometry-SLS
нст	43.3	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	83.3	fl	83.0 - 101.0	Calculation
MCH	28.5	pg	27-32	Calculation
MCHC	34.2	g/dL	31.5 - 34.5	Calculation
Platelet Count	266	10^3/uL	150 - 400	HF (DCD)
WBC	9.97	10^3/uL	4.00 - 10.00	Flow Cytometry
<b>DIFFERENTIAL COUNT (%)</b>				
Neutrophils	70.2	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	18.3 <sup>L</sup>	%	20.0 - 40.0	Flow Cytometry
Monocytes	8.6	%	2.0-10.0	Flow Cytometry
Eosinophils	2.3	%	1 - 6	Flow Cytometry
Basophils	0.6	%	<1-2	Flow Cytometry
DIFFERENTIAL COUNT (ABSOL	UTE)			
Neutrophils (Absolute)	7.00	10^3/uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	1.82	10^3/uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.86	10^3/uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.23	10^3/uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.06	10^3/uL	0.02 - 0.10	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 23-05-2025 20:51:00

Authenticated On: 24-05-2025 15:25:19

Received On: 24-05-2025 14:29:00 Released On: 24-05-2025 15:34:11

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673





# MEDSOL AL ABBAR LABORATORIES for Research & Medical Analysis L.L.C مختبرات ميدسول العبار للابحاث والتحاليل الطبية ش.ذ.م.م



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ | Dubai Accreditation Department for ISO 15189

#### LABORATORY REPORT

Name : FAHAD HASNAIN FIDA HUSSAIN DOB/Gender

: 11-03-1991 (34 Yrs 2 Month 13 Days/Male)

Lab No. : 22251440139

Request Date : 24-05-2025 14:28:48

Insurance

: NAS ADMINISTRATION SERVICES LTD

File. No. : AAL02-1310903

Referral Doctor : Dr. Amaizah Ishtiag

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43030

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	35.20 <sup>H</sup>	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 23-05-2025 20:51:00 Received On: 24-05-2025 14:29:00

Authenticated On: 24-05-2025 15:25:19

Released On: 24-05-2025 15:34:11

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

