

LABORATORY REPORT

Name	: MAHMOUD AHMED ABDALLAH HUSSAIN	File. No.	: AAL02-415810
DOB/Gender	: 31-10-1988 (36 Yrs 7 Month 8 Days/Male)	Referral Doctor	: Dr. Amaizah Ishtiaq
Lab No.	: 22251480146	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 28-05-2025 14:12:36	Clinic File No	: 42457
Insurance	: NEXTCARE		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.46	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	16.6	g/dl	13.0 - 17.0	Photometry-SLS
HCT	47.6	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	87.2	fl	83.0 - 101.0	Calculation
MCH	30.4	pg	27-32	Calculation
MCHC	34.9 ^H	g/dL	31.5 - 34.5	Calculation
Platelet Count	262	10 ³ /uL	150 - 400	HF (DCD)
WBC	6.57	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	60.3	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	30.7	%	20.0 - 40.0	Flow Cytometry
Monocytes	7.2	%	2.0-10.0	Flow Cytometry
Eosinophils	1.5	%	1 - 6	Flow Cytometry
Basophils	0.3	%	<1-2	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.96	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.02	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.47	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.10	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.02	10 ³ /uL	0.02 - 0.10	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 28-05-2025 12:00:00
Authenticated On : 28-05-2025 16:20:54

Received On : 28-05-2025 14:52:00
Released On : 28-05-2025 16:41:15



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: MAHMOUD AHMED ABDALLAH HUSSAIN	File. No.	: AAL02-415810
DOB/Gender	: 31-10-1988 (36 Yrs 7 Month 8 Days/Male)	Referral Doctor	: Dr. Amaizah Ishtiaq
Lab No.	: 22251480146	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 28-05-2025 14:12:36	Clinic File No	: 42457
Insurance	: NEXTCARE		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Light Yellow		Yellow	Light Scatter
Appearance	Clear		Clear	Light Scatter
Specific Gravity	1.019		1.005 - 1.030	Refractrometry
PH	5.00		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Negative		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	2 - 4	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Few	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

Bilirubin and Urobilinogen if clinically indicated.

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 28-05-2025 12:00:00
Authenticated On : 28-05-2025 15:45:04

Received On : 28-05-2025 14:52:00
Released On : 28-05-2025 16:41:15



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673



LABORATORY REPORT

Name	: MAHMOUD AHMED ABDALLAH HUSSAIN	File. No.	: AAL02-415810
DOB/Gender	: 31-10-1988 (36 Yrs 7 Month 8 Days/Male)	Referral Doctor	: Dr. Amaizah Ishtiaq
Lab No.	: 22251480146	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 28-05-2025 14:12:36	Clinic File No	: 42457
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Kindly note that there are chances of false negative result for *Trichomonas vaginalis*, as *Trichomonas vaginalis* viability is temperature and time sensitive.

Kindly note the new methodology is effective from 31-10-2022.

Sample Type : Urine

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 28-05-2025 12:00:00
Authenticated On : 28-05-2025 15:45:04

Received On : 28-05-2025 14:52:00
Released On : 28-05-2025 16:41:15

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: MAHMOUD AHMED ABDALLAH HUSSAIN	File. No.	: AAL02-415810
DOB/Gender	: 31-10-1988 (36 Yrs 7 Month 8 Days/Male)	Referral Doctor	: Dr. Amaizah Ishtiaq
Lab No.	: 22251480146	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 28-05-2025 14:12:36	Clinic File No	: 42457
Insurance	: NEXTCARE		

**RENAL FUNCTION PANEL (FASTING)
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Albumin	4.46	g/dL	3.97 - 4.94	Colorimetric - BCG
Please note Reference Range Reviewed w.ef 15/10/23				
Calcium	10.40 ^H	mg/dL	8.6 - 10.3	NM-BAPTA
Please note Reference Range Reviewed w.ef 15/10/23				
Creatinine (serum)	1.03	mg/dL	0.70-1.20	Jaffe-Alkaline Picrate
Please note Reference Range Reviewed w.ef 15/10/23				
Sample Type : Serum				
Glucose (Fasting)	94.20	mg/dL	70 - 100	HK/G-6-PDH
Please note Reference Range Reviewed w.ef 15/10/23				
Sample Type : Fluoride Plasma				
Phosphorous	2.32 ^L	mg/dL	2.5-4.5	Molybdate UV
Please note Reference Range Reviewed w.ef 15/10/23				
Urea	34.70	mg/dL	12.86 - 42.86	Urease/GLDH

Please note Reference Range Reviewed w.ef 15/10/23

Remarks:

Sample shows hemolysis. Test proceed as per client request. Recommended to repeat with new sample for confirmation.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 28-05-2025 12:00:00
Authenticated On : 28-05-2025 16:20:54

Received On : 28-05-2025 14:52:00
Released On : 28-05-2025 16:41:15



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673