

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. RUDRA PRASAD RASAILY	Sample UID No.	: 4085371
Age / Gender	: 43 Y /MALE	Sample Collected On	: 05-06-2025 07:30AM
Patient ID	: QLD085196	Registered On	: 05-06-2025 04:30PM
Referred By	: DR AMAZAH	Reported on	: 10-06-2025 01:00PM
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 44398
Emirates ID / Passport No		Print Version	

BIOCHEMISTRY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
Electrolytes Panel					
<i>Sample : Serum</i>					
Sodium	138	135 - 145	mmol/L		ISE Indirect
Potassium	4.8	3.5 - 5.3	mmol/L		ISE Indirect
Chloride	103	97 - 110	mmol/L		ISE Indirect
Total Carbon dioxide(HCO3)	20 L	22 - 29	mmol/L		UV absorbance - Enzymatic
Notes:					
Kindly note that bicarbonate is the largest fraction of total Carbon Di oxide .					
Electrolyte measurements are used to help investigate conditions that cause electrolyte imbalances such as dehydration, kidney disease, lung diseases, or heart conditions. Pre analytical factors such as hemolysis can influence the results. Abnormal results should be clinically correlated and repeated with fresh sample for confirmation if clinically indicated.					
--- END OF BIOCHEMISTRY---					

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. RUDRA PRASAD RASAILY	Sample UID No.	: 4085371
Age / Gender	: 43 Y /MALE	Sample Collected On	: 05-06-2025 07:30AM
Patient ID	: QLD085196	Registered On	: 05-06-2025 04:30PM
Referred By	: DR AMAZAH	Reported on	: 10-06-2025 01:00PM
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 44398
Emirates ID / Passport No		Print Version	

BIOCHEMISTRY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
Bilirubin Total	0.44	0 - 1.2	mg/dL	Serum	Diazo Method
SGOT (AST)	25	10 - 50	U/L	Serum	UV absorbance - with Pyridoxal L-5-Phosphate
SGPT (ALT)	30	10 - 50	U/L	Serum	UV absorbance - with Pyridoxal L-5-Phosphate

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. RUDRA PRASAD RASAILY	Sample UID No.	: 4085371
Age / Gender	: 43 Y /MALE	Sample Collected On	: 05-06-2025 07:30AM
Patient ID	: QLD085196	Registered On	: 05-06-2025 04:30PM
Referred By	: DR AMAZAH	Reported on	: 10-06-2025 01:00PM
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 44398
Emirates ID / Passport No		Print Version	

CLINICAL PATHOLOGY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
Stool For H. Pylori Antigen *	Negative	Negative		Stool	Immunochromatography
Notes: "It is a Rapid test Qualitative detection of H. pylori antigen in human fecal specimen *Negative test does not preclude the possibility of H.pylori infection, it can occur if antigen is below the detection limit or is not present in the specimen collected *If symptoms persists and H.pylori rapid test is negative ,it is recommended to test with alternative test methods *Seroprevalence of H.pylori in specimen with positive occult blood (FOB) test is high, so it is recommended FOB positive to be tested for H. pylori Ag test. *All results should be correlated with clinical findings "					
--- END OF CLINICAL PATHOLOGY---					

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

This Test is Outsourced to an Accredited Laboratory

--- End of Report ---