



LABORATORY REPORT

Name	: ADRIAN ZARES CASAPAO	File. No.	: AAL02-1312841
DOB/Gender	: 19-12-1978 (46 Yrs 5 Month 21 Days/Male)	Referral Doctor	: Dr. Farhan Ilyas Malik
Lab No.	: 22251600154	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 09-06-2025 13:43:21	Clinic File No	: 47098
Insurance	: NEXTCARE		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Uric Acid	7.30 ^H	mg/dL	3.40-7.00	Uricase

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 08-06-2025 20:30:00
Authenticated On : 09-06-2025 15:26:07

Received On : 09-06-2025 14:01:00
Released On : 09-06-2025 15:36:53



Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: ADRIAN ZARES CASAPAO	File. No.	: AAL02-1312841
DOB/Gender	: 19-12-1978 (46 Yrs 5 Month 21 Days/Male)	Referral Doctor	: Dr. Farhan Ilyas Malik
Lab No.	: 22251600154	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 09-06-2025 13:43:21	Clinic File No	: 47098
Insurance	: NEXTCARE		

LIPID PROFILE I CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Cholesterol	277.00^H	mg/dL	Desirable: < 200 Borderline: 200-239 High: ≥ 240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	336.00^H	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: ≥ 500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	57.40	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	180.00^H	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: ≥ 190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	39.60^H	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	4.83^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: ≥ 6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2022 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 08-06-2025 20:30:00
Authenticated On : 09-06-2025 15:26:07

Received On : 09-06-2025 14:01:00
Released On : 09-06-2025 15:36:53

Pring

Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011