

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. RUDRA PRASAD RASAILY	Sample UID No.	: 4086281
Age / Gender	: 43 Y /MALE	Sample Collected On	: 11-06-2025 05:07PM
Patient ID	: QLD086103	Registered On	: 11-06-2025 05:12PM
Referred By	: DR FARHAN	Reported on	: 12-06-2025 02:10PM
Referral Client	: CITICARE MEDICAL CENTER	External Patient ID	: 44398
Emirates ID / Passport No		Print Version	

HAEMATOLOGY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
CBC - Complete Blood Count					
<i>Sample : Whole Blood EDTA</i>					
RBC	4.80	4.5 - 5.9	10 ⁶ / uL		Hydrodynamically focussed DC detection method
Haemoglobin	15.10	13.5 - 18	g/dL		SLS Method
Hematocrit	43.5	40 - 50	%		RBC pulse height detection method
MCV	90.6	80 - 101	fL		Cell Count computation
MCH	31.5	27 - 32	Pg		Cell Count computation
MCHC	34.7 H	31.5 - 34.5	g/dL		Cell Count computation
Red Cell Distribution Width	12.2	11.6 - 14	%		Cell Count computation
Total WBC Count	7.34	4 - 10	10 ³ /uL		Fluorescence Flow Cytometry
Neutrophils	49	40 - 75	%		Fluorescence Flow Cytometry
Lymphocytes	37.5	20 - 40	%		Fluorescence Flow Cytometry
Eosinophils	3.7	1 - 6	%		Fluorescence Flow Cytometry
Monocytes	8.0	2 - 10	%		Fluorescence Flow Cytometry
Basophils	1.0	< 2	%		Fluorescence Flow Cytometry
Absolute Count					
Absolute Neutrophil Count (ANC)	3.66	2 - 7	10 ³ /uL		Fluorescence Flow Cytometry
Absolute Lymphocyte Count (ALC)	2.75	1 - 3	10 ³ /uL		Fluorescence Flow Cytometry
Absolute Eosinophil Count (AEC)	0.27	0.02 - 0.5	10 ³ /uL		Fluorescence Flow Cytometry

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. RUDRA PRASAD RASAILY	Sample UID No.	: 4086281
Age / Gender	: 43 Y /MALE	Sample Collected On	: 11-06-2025 05:07PM
Patient ID	: QLD086103	Registered On	: 11-06-2025 05:12PM
Referred By	: DR FARHAN	Reported on	: 12-06-2025 02:10PM
Referral Client	: CITICARE MEDICAL CENTER	External Patient ID	: 44398
Emirates ID / Passport No		Print Version	

Absolute Basophil Count (ABC)	0.07	0.02 - 0.1	10 ³ /uL		Fluorescence Flow Cytometry
Absolute Monocyte Count (AMC)	0.59	0.2 - 1	10 ³ /uL		Fluorescence Flow Cytometry
Platelet	247	150 - 410	10 ³ /uL		Impedance
Mean Platelet Volume	11.40 H	7.6 - 10.8	fL		Cell Count computation

Value out of reference range should be confirmed (if clinically indicated) by repeating the test with a fresh sample. Low cell count or platelet count may be sample related (clot/lyse), suggested repeat fresh citrate and EDTA sample for confirmation. **Kindly note that Absolute counts are the preferred mode of evaluation of CBC data.

--- END OF HAEMATOLOGY---

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

This Test is Outsourced to an Accredited Laboratory

--- End of Report ---