



Ms. KEIT NIKKI

PID NO : 39319

Age : 23 Years Sex : Female

DOB: 01-Oct-2001



Reference : Dr. FARHAN

Sample Collected At :

CITICARE MEDICAL CENTER

Unit G03, Al Barsha South Bldg, Al Barsha South
Third, Dubai

VID : 5060104589

Registered on :

16-Jun-2025 02:55 PM

Collected on :

14-Jun-2025 08:40 PM

Reported on :

16-Jun-2025 05:00 PM

Investigation	Observed Value	Flag	Unit	Biological Reference Interval	Method
URINE ANALYSIS (ROUTINE)					
PHYSICAL EXAMINATION					
COLOR	Pale Yellow			Pale to Dark Yellow	Photometry
APPEARANCE	Turbid	A			Turbidimetry
CHEMICAL EXAMINATION					
SPECIFIC GRAVITY	1.004			1.002 - 1.035	Refractometry
PH	6.0			5 - 9	Litmus paper
GLUCOSE	Negative			Negative	GOD / POD
BLOOD	Negative			Negative	Peroxidase
PROTEIN	+	A		Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	+++	A		Negative	Esterase
UROBILINOGEN	Negative			Negative	Diazonium Salt
BILIRUBIN	Negative			Negative	Diazonium Salt
KETONE	Negative			Negative	Legal's test
NITRITE	Negative			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	>100	A	/HPF	1 - 4	Microscopy
ERYTHROCYTES	0-2		/HPF	0 - 2	Microscopy
SQUAMOUS EPITHELIAL CELLS	0-1		/HPF	< 20	Microscopy
NON-SQUAMOUS EPITHELIAL CELLS	Absent		/HPF	Variable	Microscopy
BACTERIA	Present	A	/HPF	Absent	Microscopy
CASTS	Absent		/HPF	Absent	Microscopy
HYALINE CAST	Absent		/HPF	Absent	Microscopy
FINE GRANULAR CAST	Absent		/HPF	Absent	Microscopy
COARSE GRANULAR CAST	Absent		/HPF	Absent	Microscopy
WAXY CAST	Absent		/HPF	Absent	Microscopy
FATTY CAST	Absent		/HPF	Absent	Microscopy
RBC CAST	Absent		/HPF	Absent	Microscopy
WBC CAST	Absent		/HPF	Absent	Microscopy
BACTERIAL CAST	Absent		/HPF	Absent	Microscopy

Dr. Vyoma Shah

Dr. Greeshma Sidharthan

DR. ADLEY MARK FERNANDES
M.D (Pathology)
Pathologist

DR. VYOMA SHAH
M.D (Pathology)
Clinical Pathologist

GREESHMA SIDHARTHAN
Laboratory Technician

This is an Electronically Authenticated Report.

Printed on: 16-Jun-2025 05:02 PM

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189 unless specified by (*).





Ms. KEIT NIKKI

PID NO : 39319

Age : 23 Years Sex : Female

DOB: 01-Oct-2001



Reference : Dr. FARHAN

Sample Collected At :

CITICARE MEDICAL CENTER

Unit G03, Al Barsha South Bldg, Al Barsha South
Third, Dubai

VID : 5060104589

Registered on :

16-Jun-2025 02:55 PM

Collected on :

14-Jun-2025 08:40 PM

Reported on :

16-Jun-2025 05:00 PM

EPITHELIAL CAST	Absent	/HPF	Absent	Microscopy
CRYSTALS	Absent	/HPF	Absent	Microscopy
CALCIUM OXALATE	Absent	/HPF	Absent	Microscopy
CALCIUM CARBONATE	Absent	/HPF	Absent	Microscopy
CALCIUM PHOSPHATE	Absent	/HPF	Absent	Microscopy
TRIPLE PHOSPHATE	Absent	/HPF	Absent	Microscopy
URIC ACID CRYSTAL	Absent	/HPF	Absent	Microscopy
AMMONIUM BIURATE	Absent	/HPF	Absent	Microscopy
AMORPHOUS URATES	Absent	/HPF	Absent	Microscopy
AMORPHOUS PHOSPHATES	Absent	/HPF	Absent	Microscopy
CYSTINE	Absent	/HPF	Absent	Microscopy
LEUCINE	Absent	/HPF	Absent	Microscopy
TYROSINE	Absent	/HPF	Absent	Microscopy
DRUG CRYSTAL	Absent	/HPF	Absent	Microscopy
MUCUS THREADS	Absent	/HPF	Absent	Microscopy
BUDDING YEAST CELLS	Absent	/HPF	Absent	Microscopy
HYPHAE	Absent	/HPF	Absent	Microscopy
OVA	Absent	/HPF	Absent	Microscopy
CYST	Absent	/HPF	Absent	Microscopy
PARASITE	Absent	/HPF	Absent	Microscopy
ARTIFACTS	Absent	/HPF	Absent	Microscopy

Remarks: Please correlate clinically.

Sample type: Spot urine

INTERPRETATION:

1. Urine routine and microscopy is a screening test.
2. Abnormal results of chemical examination are confirmed by manual methods.
3. Pre-test conditions to be observed while submitting the sample- First void, mid-stream urine, collected in a clean, dry, sterile container is recommended for routine urine analysis, avoid contamination with any discharge from vaginal, urethra, perineum, as applicable, avoid prolonged transit time & undue exposure to sunlight.
4. During interpretation, points to be considered are Negative nitrite test does not exclude the presence of the bacteria or urinary tract infections.
5. Trace proteinuria can be seen with many physiological conditions like prolonged recumbency, exercise, high protein diet etc.
8. False reactions for bile pigments, proteins, glucose and nitrites can be caused by peroxidase like activity by disinfectants, therapeutic dyes, ascorbic acid and certain drugs etc.
9. Physiological variations may affect the test results.
10. The Microscopic examination findings reported are in decimal numbers as they represent arithmetic mean of multiple fields scanned using Microscopy.

Dr. Vyoma Shah

Dr. Greeshma Sidharthan

DR. ADLEY MARK FERNANDES
M.D (Pathology)
Pathologist

DR. VYOMA SHAH
M.D (Pathology)
Clinical Pathologist

GREESHMA SIDHARTHAN
Laboratory Technician

This is an Electronically Authenticated Report.

Printed on: 16-Jun-2025 05:02 PM

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189 unless specified by (*).



CAP
ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS

eliaCI
Emirates International Accreditation Centre
192 - LB - MED



Ms. KEIT NIKKI

PID NO : 39319

Age : 23 Years Sex : Female

DOB: 01-Oct-2001



Reference : Dr. FARHAN

Sample Collected At :

CITICARE MEDICAL CENTER

Unit G03, Al Barsha South Bldg, Al Barsha South
Third, Dubai

VID : 5060104589

Registered on :

16-Jun-2025 02:55 PM

Collected on :

14-Jun-2025 08:40 PM

Reported on :

16-Jun-2025 05:00 PM

----- End Of Report -----

DR. ADLEY MARK FERNANDES
M.D (Pathology)
Pathologist

DR. VYOMA SHAH
M.D (Pathology)
Clinical Pathologist

GREESHMA SIDHARTHAN
Laboratory Technician

This is an Electronically Authenticated Report.

Printed on: 16-Jun-2025 05:02 PM

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189 unless specified by (*).



CAP
ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS

eliaCI
مركز الاعتماد العالمي للإمارات
Emirates International Accreditation Centre
192 - LB - MED