

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. MUNEER MUNNADATH PARAMBA	Sample UID No.	: 4088586
Age / Gender	: 24/01/1974/MALE	Sample Collected On	: 19-06-2025 09:00 AM
Patient ID	: QLD088399	Registered On	: 19-06-2025 17:20 PM
Referred By	: Dr. AISHA	Reported on	: 21-06-2025 11:53PM
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	:
Emirates ID / Passport No		Print Version	

BIOCHEMISTRY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
Glycosylated Hemoglobin (HbA1c) <i>Sample : Whole Blood EDTA</i>					
Glycosylated Hemoglobin (HbA1c)	8.25 H	Normal: <5.7 Prediabetes: 5.7 - 6.4 Diabetes: >6.5	%		HPLC
Estimated Average Glucose (eAG) *	190.07		mg/dL		Calculation
Notes: Conditions like iron deficiency anemia, can give false elevated values and hence plasma glucose monitoring is advised by NGSP. Hemolytic and blood loss anemia, and conditions leading to short red cell life can cause falsely lower hba1c levels. In haemoglobinopathies where hbf >10%, hba1c levels are not reliable due to technical limitations of the methodology.					

Verified By



Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004

This Test is Outsourced to an Accredited Laboratory

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. MUNEER MUNNADATH PARAMBA	Sample UID No.	: 4088586
Age / Gender	: 24/01/1974/MALE	Sample Collected On	: 19-06-2025 09:00 AM
Patient ID	: QLD088399	Registered On	: 19-06-2025 17:20 PM
Referred By	: Dr. AISHA	Reported on	: 21-06-2025 11:53PM
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	:
Emirates ID / Passport No		Print Version	

Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
LFT (Liver Function Test)					
<i>Sample : Serum</i>					
SGPT (ALT)	30	10 - 50	U/L		UV absorbance - with Pyridoxal L-5-Phosphate
SGOT (AST)	52 H	10 - 50	U/L		UV absorbance - with Pyridoxal L-5-Phosphate
Bilirubin Total	0.33	0 - 1.2	mg/dL		Diazo Method
Bilirubin Direct	0.06	0 - 0.4	mg/dL		Diazo Method
Indirect Bilirubin *	0.26	0.2 - 1	mg/dL		Computation
Total Protein	8.0	6.6 - 8.7	g/dL		Biuret
Albumin	4.6	3.5 - 5.2	g/dL		Colorimetric - Dye binding BCG
Globulin *	3.3	2.2 - 3.9	g/dL		Computation
Albumin/Globulin Ratio *	1.4	1.2 - 2.5			Computation
Alkaline Phosphatase	49	40 - 129	U/L		Colorimetric - IFCC
Gamma GT (GGT)	40	10 - 71	U/L		Enzymatic
--- END OF BIOCHEMISTRY---					

--- End of Report ---

Verified By



Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004

This Test is Outsourced to an Accredited Laboratory

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004