

Patient Name : Mr. SACHIN MENOTHUPARAMBIL SAJEEVAN
Age / Gender : 28 Y / Male
Patient ID : QLD088505
Referred By : Dr. AISHA
Referral Client : CITICARE MEDICAL CENTER(INSURANCE)
Emirates ID / Passport No :

Sample UID No. : 4088692
Sample Collected On : 19-06-2025 20:40
Registered On : 19-06-2025 23:21
Reported on : 20-06-2025 17:31
External Patient ID : 46326
Print Version : V.1

HAEMATOLOGY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
CBC - Complete Blood Count <i>Sample : Whole Blood EDTA</i>					
RBC	5.33	4.5 - 5.9	10 ⁶ / uL		Hydrodynamically focussed DC detection method
Haemoglobin	15.30	13.5 - 18	g/dL		SLS Method
Hematocrit	44.4	40 - 50	%		RBC pulse height detection method
MCV	83.3	80 - 101	fL		Cell Count computation
MCH	28.7	27 - 32	Pg		Cell Count computation
MCHC	34.5	31.5 - 34.5	g/dL		Cell Count computation
Red Cell Distribution Width	13.6	11.6 - 14	%		Cell Count computation
Total WBC Count	6.94	4 - 10	10 ³ /uL		Fluorescence Flow Cytometry
Neutrophils	60	40 - 75	%		Fluorescence Flow Cytometry
Lymphocytes	23.1	20 - 40	%		Fluorescence Flow Cytometry
Eosinophils	2.0	1 - 6	%		Fluorescence Flow Cytometry
Monocytes	13.8 H	2 - 10	%		Fluorescence Flow Cytometry
Basophils	0.4	< 2	%		Fluorescence Flow Cytometry
Absolute Count					
Absolute Neutrophil Count (ANC)	4.21	2 - 7	10 ³ /uL		Fluorescence Flow Cytometry
Absolute Lymphocyte Count (ALC)	1.60	1 - 3	10 ³ /uL		Fluorescence Flow Cytometry
Absolute Eosinophil Count (AEC)	0.14	0.02 - 0.5	10 ³ /uL		Fluorescence Flow Cytometry

Verified By



Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004

This Test is Outsourced to an Accredited Laboratory

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Patient Name	: Mr. SACHIN MENOTHUPARAMBIL SAJEEVAN	Sample UID No.	: 4088692
Age / Gender	: 28 Y / Male	Sample Collected On	: 19-06-2025 20:40
Patient ID	: QLD088505	Registered On	: 19-06-2025 23:21
Referred By	: Dr. AISHA	Reported on	: 20-06-2025 17:31
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 46326
Emirates ID / Passport No	:	Print Version	: V.1

Absolute Basophil Count (ABC)	0.03	0.02 - 0.1	10 ³ /uL		Fluorescence Flow Cytometry
Absolute Monocyte Count (AMC)	0.96	0.2 - 1	10 ³ /uL		Fluorescence Flow Cytometry
Platelet	327	150 - 410	10 ³ /uL		Impedance
Mean Platelet Volume	9.90	7.6 - 10.8	fL		Cell Count computation

Value out of reference range should be confirmed (if clinically indicated) by repeating the test with a fresh sample. Low cell count or platelet count may be sample related(clot/lyse), suggested repeat fresh citrate and EDTA sample for confirmation. **Kindly note that Absolute counts are the preferred mode of evaluation of CBC data.

--- END OF HAEMATOLOGY---

--- End of Report ---

Verified By



Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004

This Test is Outsourced to an Accredited Laboratory

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Patient Name	: Mr. SACHIN MENOTHUPARAMBIL SAJEEVAN	Sample UID No.	: 4088692
Age / Gender	: 28 Y / Male	Sample Collected On	: 19-06-2025 20:40
Patient ID	: QLD088505	Registered On	: 19-06-2025 23:21
Referred By	: Dr. AISHA	Reported on	: 20-06-2025 17:31
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 46326
Emirates ID / Passport No	:	Print Version	: V.1

BIOCHEMISTRY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
LFT (Liver Function Test)					
<i>Sample : Serum</i>					
SGPT (ALT)	36	10 - 50	U/L		UV absorbance - with Pyridoxal L-5-Phosphate
SGOT (AST)	45	10 - 50	U/L		UV absorbance - with Pyridoxal L-5-Phosphate
Bilirubin Total	0.30	0 - 1.2	mg/dL		Diazo Method
Bilirubin Direct	0.05	0 - 0.4	mg/dL		Diazo Method
Indirect Bilirubin *	0.25	0.2 - 1	mg/dL		Computation
Total Protein	7.6	6.6 - 8.7	g/dL		Biuret
Albumin	4.9	3.5 - 5.2	g/dL		Colorimetric - Dye binding BCG
Globulin *	2.6	2.2 - 3.9	g/dL		Computation
Albumin/Globulin Ratio *	1.8	1.2 - 2.5			Computation
Alkaline Phosphatase	90	40 - 129	U/L		Colorimetric - IFCC
Gamma GT (GGT)	38	10 - 71	U/L		Enzymatic

Verified By



Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004

This Test is Outsourced to an Accredited Laboratory

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Patient Name	: Mr. SACHIN MENOTHUPARAMBIL SAJEEVAN	Sample UID No.	: 4088692
Age / Gender	: 28 Y / Male	Sample Collected On	: 19-06-2025 20:40
Patient ID	: QLD088505	Registered On	: 19-06-2025 23:21
Referred By	: Dr. AISHA	Reported on	: 20-06-2025 17:31
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 46326
Emirates ID / Passport No	:	Print Version	: V.1

Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
CRP - C Reactive Protein	0.8	<5	mg/L	Serum	Particle enhancedImmuno-turbidimetric
--- END OF BIOCHEMISTRY---					

--- End of Report ---

Verified By



Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004

This Test is Outsourced to an Accredited Laboratory

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Patient Name : Mr. SACHIN MENOTHUPARAMBIL SAJEEVAN
Age / Gender : 28 Y / Male
Patient ID : QLD088505
Referred By : Dr. AISHA
Referral Client : CITICARE MEDICAL CENTER(INSURANCE)
Emirates ID / Passport No :

Sample UID No. : 4088692
Sample Collected On : 19-06-2025 20:40
Registered On : 19-06-2025 23:21
Reported on : 20-06-2025 17:31
External Patient ID : 46326
Print Version : V.1

CLINICAL PATHOLOGY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
Urine Routine <i>Sample : Urine</i>					
Color	Yellow	Pale Yellow			Refraction
Appearance	Very Turbid	Clear			Refraction
pH	5.5	5 - 7.5			pH indicator
Specific Gravity	1.025	1.005 - 1.025			Ion Concentration
Urine Albumin	Negative	Negative			Automated Protein-Error-Of-Indicators
Glucose	Negative	Negative			GOD/POD
Ketones	Negative	Negative			Legal's Test
Notes: Interpretation- *Positive result is seen in fasting, Pregnancy, Starvation, Diabetic Ketoacidosis * False positive result can occur with high colour urine, high specific gravity , low pH, Drugs like - Levodopa metabolites compounds with Sulfhydryl groups All results should be correlated with clinical history.					
Bilirubin	Negative	Negative			Reflectance Photometry
Urobilinogen	Normal	Normal			Reflectance Photometry
Nitrite	Negative	Negative			Reflectance Photometry
Pus Cells	0 - 2	0 - 5	/hpf		Auto Image EvaluationModule(AIEM)/Microscopy
RBC	0-1	0-3	/hpf		Auto Image EvaluationModule(AIEM)/Microscopy
Epithelial Cells	0 - 1	0 - 2	/hpf		Auto Image EvaluationModule(AIEM)/Microscopy

Verified By



Dr. Vidhya Mohan
 Specialist Clinical Pathologist
 Clinical Pathologist
 DHA No. 23553203-004

This Test is Outsourced to an Accredited Laboratory

Verified By



Dr. Dheepa Manoharan
 Medical Director
 Specialist Microbiologist
 DHA No. 00231751-004

Patient Name	: Mr. SACHIN MENOTHUPARAMBIL SAJEEVAN	Sample UID No.	: 4088692
Age / Gender	: 28 Y / Male	Sample Collected On	: 19-06-2025 20:40
Patient ID	: QLD088505	Registered On	: 19-06-2025 23:21
Referred By	: Dr. AISHA	Reported on	: 20-06-2025 17:31
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 46326
Emirates ID / Passport No	:	Print Version	: V.1

Casts	Absent	Absent	/lpf		Auto Image EvaluationModule(AIEM)/Microscopy
Crystals	Amorphous Urates	Absent	/lpf		Auto Image EvaluationModule(AIEM)/Microscopy
Mucus Thread	Absent	Absent			Auto Image Evaluation Module (AIEM)
Bacteria	Absent	Absent			Auto Image EvaluationModule(AIEM)/Microscopy
--- END OF CLINICAL PATHOLOGY---					

--- End of Report ---

Verified By



Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004

This Test is Outsourced to an Accredited Laboratory

Verified By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004