

Patient Name : Mr. MOHAMMED SBEITANI
Age / Gender : 59 Y / Male
Patient ID : QLD089449
Referred By : Dr. AISHA
Referral Client : CITICARE MEDICAL CENTER

Sample UID No. : 4089640
Sample Collected On : 22-06-2025 20:53
Registered On : 22-06-2025 22:51
Reported on : 24-06-2025 15:41
External Patient ID : 47214
Print Version : V.1

Department of MICROBIOLOGY
CULTURE AND SENSITIVITY (STOOL)
Final Report

Result

Organism Details

Specimen : Stool

Culture report: **No Salmonella and Shigella species grown in culture.**

Comments:

- A. Campylobacter species and Yersinia species are not detected with conventional media.
B. Quality controls for organisms are routinely performed using recommended ATCC strains.

References:

1. Clinical Microbiology procedures Handbook - Amy .L. Leber -4th edition.
2. Konneman colour Atlas and Textbook of Diagnostic Microbiology 7th edition.
3. CLSI M100 Ed 31 performance standards for Antimicrobial susceptibility testing.

- END OF REPORT -

"QLabs compliance with ISO 15189:2022 standards"

Verified By



Fathima Alfi
Medical Microbiology Technologist

DHA No: 07902696-001



Authorised By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Page 1 of 1