



Patient Name : Ms. ADAEZE LILIAN IKECHUKWU OKOYE Sample UID No. : 4092543

 Age / Gender
 : 4 Y / Female
 Sample Collected On
 : 02-07-2025 21:49

 Patient ID
 : QLD092337
 Registered On
 : 02-07-2025 21:51

 Referred By
 : Dr. Bushra Sadiqua
 Reported on
 : 04-07-2025 07:33

Referral Client : CITICARE MEDICAL CENTER(INSURANCE) External Patient ID : 47306 Emirates ID / Passport No : 784202020783134 Print Version : V.1

### Department of BIOCHEMISTRY

 Investigation
 Results
 Flag
 Units
 Biological Reference Interval
 Method

 \* C-REACTIVE PROTEIN (CRP)
 1.5
 mg/L
 < 5</td>
 Particle enhanced

immunoturbidimetric assay

Sample: Serum Comments:

#### **CLINICAL IMPLICATIONS:**

- 1. CRP is the most sensitive acute phase reactant that can increase dramatically (100-fold or more) after severe trauma, bacterial infection, inflammation, surgeryor neoplastic proliferation. CRP levels may predict future cardiovascular events and can be used as a screening tool.
- 2. The traditional test of CRP has added significance over the elevated ESR, which may be influenced by altered physiologic states. CRP tends to increase before rises in antibody titres and ESR level occurs. CRP levels also tend to decrease sooner than ESR levels.
- 3. The traditional test for CRP is elevated in rheumatic fever, RA, myocardial infarction, malignancy, bacterial and viral infections. The positive test indicates active inflammation but not its cause. In RA, the traditional test for CRP becomes negative with successful treatment and indicates that the inflammation has subsided.
- 4.High sensitive measurement of CRP (hs-CRP) are useful in assessing vascular inflammation and cardiovascular stratification. A single test for hs-CRP may not reflect an individual patient basal hs-CRP level, therefore follow up tests or serial measurements may be required in patients presenting with increased hs-CRP levels.

**INTERFERING FACTORS:** Haemolysed or lipemic sample may alter the results.

#### REFERENCE:

- 1) Manual of Laboratory and Diagnostics -Frances Fischbach Marshall B. Dunning III [9th Edition]
- 2) Tietz clinical guide to Laboratory tests(Fourth edition) ALAN H.B.WU

- END OF REPORT -

Note:

"The analytes with asterix (\*) symbol are non-accredited parameters.". "QLabs compliance with ISO 15189:2022 standards"

Sheik mohammed Irfan Lab Technician

DHA No: 27218690-001



Dr. Vidhya Mohan Specialist Clinical Pathologist Clinical Pathologist DHA No. 23553203-004 Dr. Dheepa Manoharan Medical Director Specialist Microbiologist

DHA No. 00231751-004

Page 1 of 2





**Patient Name** Sample UID No. : Ms. ADAEZE LILIAN IKECHUKWU OKOYE : EB4092543

Age / Gender : 4 Y / Female **Sample Collected On** : 02-07-2025 21:49 Patient ID : QLD092337 Registered On : 02-07-2025 21:51 : 03-07-2025 07:25 Referred By Reported on : Dr. Bushra Sadiqua

: 47306 **Referral Client External Patient ID** : CITICARE MEDICAL CENTER(INSURANCE) **Print Version** Emirates ID / Passport No : 784202020783134 : V.1

### Department of HEMATOLOGY

### **COMPREHENSIVE COMPLETE BLOOD COUNT**

<u>Investigation</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	Biological Reference Interval	<u>Method</u>
HEMOGLOBIN	11.7		g/dl	11-14	photometric
RBC COUNT	4.34		10^6/uL	4-5.2	Electrical Impedance
HEMATOCRIT	34		%	33-43	Calculation
MCV	78.2		fL	76-90	Calculation
МСН	27		pg	25-31	Calculation
МСНС	34.5		g/dl	31-37	Calculation
RDW	13		%	9.3-16	Calculation
RDW-SD	36.3	L	fL	38.9-49	Calculation
MPV	9.5		fL	8.8-12.5	Calculation
PLATELET COUNT	333		10^3/uL	200-450	Electrical Impedance
* PCT	0.3		%	0.01-9.99	Calculation
* PDW	16.3			0.1-99.9	Calculation
* NUCLEATED RBC (NRBC)^	0.14		/100 WBC		Flow Cytometry
* ABSOLUTE NRBC COUNT^	0.01		10^3/uL		Calculation
* EARLY GRANULOCYTE COUNT (EGC)^	0.19		%		Flow Cytometry
* ABSOLUTE EGC^	0.02		10^3/uL		Calculation
WBC COUNT	8.9		10^3/uL	5-15	Electrical Impedance
* Neutrophil	28.41		%	23-52	VCS-Method
* Lymphocyte	57.98		%	40-69	VCS-Method
* Eosinophil	2.26		%	0-7	VCS-Method
* Monocyte	10.73	Н	%	1-9	VCS-Method
* Basophil	0.62		%	0-2	VCS-Method
* ABSOLUTE NEUTROPHIL COUNT	2.54		10^3/uL	1.5-7	Calculation
* ABSOLUTE LYMPHOCYTE COUNT	5.19	Н	10^3/uL	1.5-4	Calculation
* ABSOLUTE MONOCYTE COUNT	0.96	Н	10^3/uL	0-0.8	Calculation
* ABSOLUTE EOSINOPHIL COUNT	0.2		10^3/uL	0-0.6	Calculation
* ABSOLUTE BASOPHIL COUNT	0.06		10^3/uL	0-0.2	Calculation
C					

Sample: EDTA Whole Blood

## - END OF REPORT -

# Note:

"The analytes with asterix (\*) symbol are non-accredited parameters.". "QLabs compliance with ISO 15189:2022 standards"



Mohammed Jahfar Kuttikkattil Lab Technologist



Dr. Vidhya Mohan **Specialist Clinical Pathologist Clinical Pathologist** DHA No. 23553203-004

Page 2 of 2