



TRUST MEDICAL LABORATORY

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com



LABORATORY INVESTIGATION REPORT

Name : CHAMINDA DISSANAYAKA Referral Clinic : PESHAWAR MEDICAL CENTER (

D.O.B / Sex : 10-Jan-1992 (30 Years) / MALE Referral Doctor : DR. SAIQA

PatientID/Nationality : 156805 / SRI LANKA LabID / Clinic No. : 106089 / 33978

Test Name	Result	Unit	Ref. Range	Methodology
-----------	--------	------	------------	-------------

HAEMATOLOGY

Volumetric impedance & Spectrophotometry

RBCs	5.00	10 ⁶ ul	4.32 - 5.72
Hemoglobin	15.04	g/dL	13.5 - 17.5
Haematocrit	45.1	%	38.8 - 50
Mean cell volume	90.2	fL	81.2 - 95.1
Mean cell hemoglobin	30.1	pg/mL	27 - 34
Mean cell hemoglobin concentration	33.3	g/dl	32 - 37
RDW	15.0	g/dL	11.8 - 15.6
WBC	14.25 ^H	x 10 ³ /uL	3.5 - 10.5
MPV	9.44	fL	7.42 - 10.77

Diffrencial Count (Flow cytometry /Smear)

Neutrophil	85.93 ^H	%	50 - 65
Lymphocyte	7.26 ^L	%	25 - 40
Monocytes	5.91	%	3 - 7
Eosinophil	0.39	%	0 - 3
Basophil	0.52	%	0 - 1
Platelet	195.9	x 10 ³ /uL	150 - 450

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 30/Apr/22 08:18 AM
Reported On : 30/Apr/22 10:50 AM
Authorized On : 30/Apr/22 10:50 AM
Printed On : 30/Apr/22 04:56 PM

SHEEBA BALAKRISHNAN
Laboratory Technologist
DHA-P-0219101

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com**LABORATORY INVESTIGATION REPORT**

Name : CHAMINDA DISSANAYAKA Referral Clinic : PESHAWAR MEDICAL CENTER (

D.O.B / Sex : 10-Jan-1992 (30 Years) / MALE Referral Doctor : DR. SAIQA

PatientID/Nationality : 156805 / SRI LANKA LabID / Clinic No. : **106089** / 33978

Test Name	Result	Unit	Ref. Range	Methodology
SEROLOGY				
C-REACTIVE PROTEIN (CRP)	37.80 ^H	mg/l	0-6	Immunoturbidimetry
**** End of Report ****				

Dr. Uday Sudhalker
Clinical Pathologist
 DHA-P-0123520



Registered On : 30/Apr/22 08:18 AM
 Reported On : 30/Apr/22 10:50 AM
 Authorized On : 30/Apr/22 10:50 AM
 Printed On : 30/Apr/22 04:56 PM

SHEEBA BALAKRISHNAN
Laboratory Technologist
 DHA-P-0219101