



TRUST MEDICAL LABORATORY

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com



LABORATORY INVESTIGATION REPORT

Name : HASSAN ELSAYED Referral Clinic : PESHAWAR MEDICAL CENTER (

D.O.B / Sex : 16-Aug-1981 (40 Years) / MALE Referral Doctor : DR. SAIQA

PatientID/Nationality : 150209 / EGYPT LabID / Clinic No. : 106084 / 34606

Test Name	Result	Unit	Ref. Range	Methodology
BIOCHEMISTRY				
CHOLESTROL, TOTAL	228 ^H	mg/dl	No risk : < 200 Moderate risk: 200 - 239 High risk: >= 240	Colorimetric
TRIGLYCERIDES	180 ^H	mg/dl	< 150	Enzymatic Colorimetric
HDL CHOLESTEROL	46.61	mg/dl	No risk: > 55 Moderate risk: 35 - 55 High risk: <35	Enzymatic Colorimetric
LDL CHOLESTEROL	145.6 ^H	mg/dl	Optimal : < 100 Above Optimal : 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: > 190	Calculated
TOTAL CHOL/HDL RATIO	4.9 ^H	Ratio	< 4.5	

**The target level varies depending on the added risk factors. *As per current NCEP Guidelines.

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 30/Apr/22 08:11 AM
Reported On : 30/Apr/22 12:51 PM
Authorized On : 30/Apr/22 12:51 PM
Printed On : 30/Apr/22 04:59 PM

SHEEBA BALAKRISHNAN
Laboratory Technologist
DHA-P-0219101

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com

**LABORATORY INVESTIGATION REPORT**

Name	: HASSAN ELSAYED	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 16-Aug-1981 (40 Years) / MALE	Referral Doctor	: DR. SAIQA
PatientID/Nationality	: 150209 / EGYPT	LabID / Clinic No.	: 106084 / 34606

Test Name	Result	Unit	Ref. Range	Methodology
ENDOCRINOLOGY				
TSH(THYROID STIMULATING HORMONE)	1.263	uIU/mL	0.3-4.5	CLIA

**** End of Report ****

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 30/Apr/22 08:11 AM
Reported On : 30/Apr/22 12:51 PM
Authorized On : 30/Apr/22 12:51 PM
Printed On : 30/Apr/22 04:59 PM

SHEEBA BALAKRISHNAN
Laboratory Technologist
DHA-P-0219101