



Mr. NARESH THOKALA

PID NO : 47475

Age : 25 Years Sex : Male

DOB: 02-May-2000



Reference : Dr. KEERTHANA RANI
PADIPPURAYIL THARA

Referred Client :

CITICARE MEDICAL CENTER

Unit G03, Al Barsha South Bldg, Al Barsha South
Third, Dubai

VID : 5070110303

Collected on :

27-Jul-2025 01:20 PM

Registered on :

30-Jul-2025 05:24 PM

Reported on :

30-Jul-2025 07:35 PM

Investigation	Observed Value	Flag	Unit	Biological Reference Interval	Method
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	12.9	L	g/dL	13.5 - 17.5	Photometric
RBC COUNT	4.9		10 ⁶ /μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	39.6		%	38 - 50	Calculation
MCV	79.5	L	fL	82 - 98	Calculation
MCH	26.0	L	pg	27 - 32	Calculation
MCHC	32.7		g/dL	32 - 37	Calculation
* RDW	13.7		%	11.8 - 15.6	Calculation
* RDW-SD	38.1		fL		Calculation
MPV	7.7		fL	7.6 - 10.8	Calculation
PLATELET COUNT	131	L	10 ³ /uL	150 - 450	Electrical Impedance
* NUCLEATED RBC (NRBC)	0.0		/100 WBC		VCS 360 Technology
* ABSOLUTE NRBC COUNT	0.0		10 ³ /uL		Calculation
TOTAL & DIFFERENTIAL COUNT (DC)					
WBC COUNT	6.2		10 ³ /μL	4 - 11	Electrical Impedance
NEUTROPHILS	74		%	40 - 75	VCS 360 Technology
LYMPHOCYTES	20		%	20 - 45	VCS 360 Technology
EOSINOPHILS	0		%	0 - 6	VCS 360 Technology
MONOCYTES	6		%	1 - 6	VCS 360 Technology
BASOPHILS	0		%	0 - 1	VCS 360 Technology
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	4.59		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	1.24		10 ³ /uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.37		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0		10 ³ /uL	0 - 0.11	Calculation

Sample Type: EDTA Whole Blood

----- End Of Report -----

Vyoma V. Shah

DR. ADLEY MARK FERNANDES

M.D (Pathology)
Pathologist

DR. VYOMA SHAH

M.D (Pathology)
Clinical Pathologist

Christeena

CHRISTEENA FRANCIS

Laboratory Technologist

This is an Electronically Authenticated Report.

Printed on: 30-Jul-2025 07:37 PM

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189 unless specified by (*).
Test marked with # is performed in an accredited referral laboratory.

