

Patient Name	: Ms. AMAR BASSAM HAWANA	Sample UID No.	: 4109065U
Age / Gender	: 34 Y / Female	Sample Collected On	: 15-08-2025 17:58
Patient ID	: QLD108521	Registered On	: 15-08-2025 18:00
Referred By	: Dr. Rehman	Reported on	: 16-08-2025 04:04
Referral Client	: CITICARE MEDICAL CENTER	External Patient ID	: 43763
Emirates ID / Passport No	: 784199176970624	Print Version	: V.1

Department of CLINICAL PATHOLOGY

COMPREHENSIVE URINE ANALYSIS

Investigation	Results	Flag	Units	Biological Reference Interval	Method
Sample: URINE					
MACROSCOPIC EXAMINATION					
COLOR	Yellow			Pale to Dark Yellow	Colorimetric
APPEARANCE	Cloudy			-	Turbidometric Method
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.02			1.002 - 1.035	Reflectance photometry
pH	6			4.5 - 8	Reflectance photometry
PROTEIN	Neg.			Negative	Reflectance photometry
GLUCOSE	Neg.			Negative	Reflectance photometry
KETONE	Neg.			Negative	Reflectance photometry
UROBILINOGEN	Norm.			Negative	Reflectance photometry
BILIRUBIN	Neg.			Negative	Reflectance photometry
BLOOD	Neg.			Negative	Reflectance photometry
LEUCOCYTES	2+	H		Negative	Reflectance photometry
MICROSCOPIC EXAMINATION					
NITRATE	Pos.	H		NEGATIVE	Reflectance photometry
PUS CELLS	Moderate	H	/HPF	0 - 5	Microscopy
RBC	Nil		/HPF	0 - 3	Microscopy
NRBC	Nil		/HPF	0 - 3	Microscopy
DRBC	Nil		/HPF	0 - 3	Microscopy
RBC CLUMP	Nil		/HPF	0 - 3	Microscopy
SQUAMOUS EPITHELIAL CELLS	Packed		/HPF	0 - 5	Microscopy
OTHER EPITHELIAL CELLS	Nil		/HPF	0 - 5	Microscopy

"QLabs compliance with ISO 15189:2022 standards"



Ebin C Lorance
Lab Technologist

DHA No. 57146854-002




Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Patient Name : Ms. AMAR BASSAM HAWANA
Age / Gender : 34 Y / Female
Patient ID : QLD108521
Referred By : Dr. Rehman
Referral Client : CITICARE MEDICAL CENTER
Emirates ID / Passport No : 784199176970624

Sample UID No. : 4109065U
Sample Collected On : 15-08-2025 17:58
Registered On : 15-08-2025 18:00
Reported on : 16-08-2025 04:04
External Patient ID : 43763
Print Version : V.1

Department of CLINICAL PATHOLOGY

COMPREHENSIVE URINE ANALYSIS

<u>Investigation</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>Biological Reference Interval</u>	<u>Method</u>
BACTERIA	Plenty	H	/HPF	0 - 5	Microscopy
BACTERIA CLUMP	Nil		/HPF	0 - 5	Microscopy
BACTERIA RODS	Plenty	H	/HPF	0 - 5	Microscopy
BACTERIA COCCI	Plenty	H	/HPF	0 - 5	Microscopy
HYALINE CAST	Nil		/HPF	NIL	Microscopy
PATHOLOGICAL CAST	Nil		/HPF	NIL	Microscopy
GRANULAR CAST	Nil		/HPF	NIL	Microscopy
CELLULAR CAST	Nil		/HPF	NIL	Microscopy
WAXY CAST	Nil		/HPF	NIL	Microscopy
RBC CAST	Nil		/HPF	NIL	Microscopy
WBC CAST	Nil		/HPF	NIL	Microscopy
FACT	Nil		/HPF	NIL	Microscopy
CALCIUM OXALATE CRYSTALS	Nil		/HPF	NIL	Microscopy
MONOHYDRATE CALCIUM CRYSTALS	Nil		/HPF	NIL	Microscopy
TRIPLE PHOSPHATE CRYSTALS	Nil		/HPF	NIL	Microscopy
URIC ACID CRYSTALS	Nil		/HPF	NIL	Microscopy
OTHER SMALL CRYSTALS	Nil		/HPF	NIL	Microscopy
CALCIUM PHOSPHATE CRYSTALS	Nil		/HPF	NIL	Microscopy
LEUCINE CRYSTALS	Nil		/HPF	NIL	Microscopy
CYSTINE CRYSTALS	Nil		/HPF	NIL	Microscopy
TYROSINE CRYSTALS	Nil		/HPF	NIL	Microscopy
AMORPHOUS CRYSTALS	Few		/HPF	NIL	Microscopy

"QLabs compliance with ISO 15189:2022 standards"



Ebin C Lorance
Lab Technologist

DHA No. 57146854-002




Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Patient Name	: Ms. AMAR BASSAM HAWANA	Sample UID No.	: 4109065U
Age / Gender	: 34 Y / Female	Sample Collected On	: 15-08-2025 17:58
Patient ID	: QLD108521	Registered On	: 15-08-2025 18:00
Referred By	: Dr. Rehman	Reported on	: 16-08-2025 04:04
Referral Client	: CITICARE MEDICAL CENTER	External Patient ID	: 43763
Emirates ID / Passport No	: 784199176970624	Print Version	: V.1

Department of CLINICAL PATHOLOGY

COMPREHENSIVE URINE ANALYSIS

<u>Investigation</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>Biological Reference Interval</u>	<u>Method</u>
CHOLESTEROL CRYSTALS	Nil		/HPF	NIL	Microscopy
FAT	Nil		/HPF	NIL	Microscopy
MUCUS	Occasional		/HPF	NIL	Microscopy
YEAST	Nil		/HPF	NIL	Microscopy
UNCLASSIFIED	Nil		/HPF	NIL	Microscopy
OTHERS	Nil		/HPF	NIL	Microscopy

- END OF REPORT -

"QLabs compliance with ISO 15189:2022 standards"



Ebin C Lorance
Lab Technologist

DHA No. 57146854-002




Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004