

Patient Name	: Mr. ZAR ALI KHAN ZAHOOOR KHAN	Sample UID No.	: 4109518
Age / Gender	: 26 Y / Male	Sample Collected On	: 16-08-2025 22:35
Patient ID	: QLD108973	Registered On	: 16-08-2025 22:40
Referred By	: DR FARHAN	Reported on	: 18-08-2025 15:01
Referral Client	: CITICARE MEDICAL CENTER	External Patient ID	: 47585
		Print Version	: V.1

Department of MICROBIOLOGY
CULTURE AND SENSITIVITY (STOOL)
Final Report

Result

Organism Details

Specimen : Stool
Culture report: **No Salmonella and Shigella species grown in culture.**

Comments:

- A. Campylobacter species and Yersinia species are not detected with conventional media.
- B. Quality controls for organisms are routinely performed using recommended ATCC strains.

References:

- 1. Clinical Microbiology procedures Handbook - Amy .L. Leber -4th edition.
- 2. Konneman colour Atlas and Textbook of Diagnostic Microbiology 7th edition.
- 3. CLSI M100 Ed 31 performance standards for Antimicrobial susceptibility testing.

- END OF REPORT -

"QLabs compliance with ISO 15189:2022 standards"

Verified By



MURSHID KUDUKKIL
Microbiology Technologist

DHA No.56890259-001



Authorised By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Page 1 of 1