



Mr. ARJUN MAGAR

PID NO : 37367

Age : 29 Years Sex : Male

DOB: 21-Jan-1996



Reference : Dr. KEERTHANA RANI
PADIPPURAYIL THARA

Referred Client :

CITICARE MEDICAL CENTER
Unit G03, Al Barsha South Bldg, Al Barsha South
Third, Dubai

VID : 5080106414

Collected on :

20-Aug-2025 11:20 AM

Registered on :

21-Aug-2025 03:58 PM

Reported on :

21-Aug-2025 04:37 PM

Investigation	Observed Value	Flag	Unit	Biological Reference Interval	Method
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	13.0	L	g/dL	13.5 - 17.5	Photometric
RBC COUNT	4.6		10 ⁶ /μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	38.4		%	38 - 50	Calculation
MCV	83.5		fL	82 - 98	Calculation
MCH	28.2		pg	27 - 32	Calculation
MCHC	33.8		g/dL	32 - 37	Calculation
* RDW	12.8		%	11.8 - 15.6	Calculation
* RDW-SD	37.60		fL		Calculation
MPV	8.7		fL	7.6 - 10.8	Calculation
PLATELET COUNT	216		10 ³ /uL	150 - 450	Electrical Impedance
* NUCLEATED RBC (NRBC)	0.10		/100 WBC		VCS 360 Technology
* ABSOLUTE NRBC COUNT	0.01		10 ³ /uL		Calculation
TOTAL & DIFFERENTIAL COUNT (DC)					
WBC COUNT	11.7	H	10 ³ /μL	4 - 11	Electrical Impedance
NEUTROPHILS	82	H	%	40 - 75	VCS 360 Technology
LYMPHOCYTES	14	L	%	20 - 45	VCS 360 Technology
EOSINOPHILS	0		%	0 - 6	VCS 360 Technology
MONOCYTES	4		%	1 - 6	VCS 360 Technology
BASOPHILS	0		%	0 - 1	VCS 360 Technology
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	9.59	H	10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	1.64		10 ³ /uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.47		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0		10 ³ /uL	0 - 0.11	Calculation

Remarks: Please correlate clinically

Sample Type: EDTA Whole Blood

----- End Of Report -----

Dr. Vyoma V. Shah

DR. ADLEY MARK FERNANDES

M.D (Pathology)
Pathologist

DR. VYOMA SHAH

M.D (Pathology)
Clinical Pathologist

M. Rashid Chenangadath

M RASHID CHENANGADATH

Laboratory Technologist

Printed on: 21-Aug-2025 04:40 PM

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189 unless specified by (*).
Test marked with # is performed in an accredited referral laboratory.

