

Patient Name	: Mr. BABU ENGANDIYUR	Sample UID No.	: G4112249F
Age / Gender	: 49 Y / Male	Sample Collected On	: 24-08-2025 09:46
Patient ID	: QLD111700	Registered On	: 24-08-2025 17:07
Referred By	: DR KEERTHANA RANI	Reported on	: 26-08-2025 14:50
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 43480
Emirates ID / Passport No	: 784197641835414	Print Version	: V.1

BIOCHEMISTRY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
Glycosylated Hemoglobin (HbA1c) <i>Sample : Whole Blood EDTA</i>					
Glycosylated Hemoglobin (HbA1c)	11.26 H	Normal: <5.7 Prediabetes: 5.7 - 6.4 Diabetes: >6.5	%		HPLC
Estimated Average Glucose (eAG) *	276.46		mg/dL		Calculation
Notes: Conditions like iron deficiency anemia, can give false elevated values and hence plasma glucose monitoring is advised by NGSP. Hemolytic and blood loss anemia, and conditions leading to short red cell life can cause falsely lower hba1c levels. In haemoglobinopathies where hbf >10%, hba1c levels are not reliable due to technical limitations of the methodology.					
--- END OF BIOCHEMISTRY---					