

Patient Name	: Ms. ALANA WALLACE	Sample UID No.	: 4112566U
Age / Gender	: 37 Y / Female	Sample Collected On	: 25-08-2025 16:38
Patient ID	: QLD112017	Registered On	: 25-08-2025 16:43
Referred By	: CITY CARE	Reported on	: 26-08-2025 07:13
Referral Client	: CITICARE MEDICAL CENTER	External Patient ID	: 43909
Emirates ID / Passport No	: 784198815284512	Print Version	: V.1

Department of CLINICAL PATHOLOGY

COMPREHENSIVE URINE ANALYSIS

Investigation	Results	Flag	Units	Biological Reference Interval	Method
Sample: URINE					
MACROSCOPIC EXAMINATION					
COLOR	Yellow			Pale to Dark Yellow	Colorimetric
APPEARANCE	Clear			-	Turbidometric Method
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.01			1.002 - 1.035	Reflectance photometry
pH	7			4.5 - 8	Reflectance photometry
PROTEIN	Neg.			Negative	Reflectance photometry
GLUCOSE	Neg.			Negative	Reflectance photometry
KETONE	1+	H		Negative	Reflectance photometry
UROBILINOGEN	Neg.			Negative	Reflectance photometry
BILIRUBIN	Neg.			Negative	Reflectance photometry
BLOOD	Neg.			Negative	Reflectance photometry
LEUCOCYTES	Neg.			Negative	Reflectance photometry
MICROSCOPIC EXAMINATION					
NITRATE	Neg.			NEGATIVE	Reflectance photometry
PUS CELLS	Nil		/HPF	0 - 5	Microscopy
RBC	Nil		/HPF	0 - 3	Microscopy
NRBC	Nil		/HPF	0 - 3	Microscopy
DRBC	Nil		/HPF	0 - 3	Microscopy
RBC CLUMP	Nil		/HPF	0 - 3	Microscopy
SQUAMOUS EPITHELIAL CELLS	Moderate	H	/HPF	0 - 5	Microscopy
OTHER EPITHELIAL CELLS	Nil		/HPF	0 - 5	Microscopy

"QLabs compliance with ISO 15189:2022 standards"



MURSHID KUDUKKIL
Microbiology Technologist

DHA No.56890259-001




Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Patient Name	: Ms. ALANA WALLACE	Sample UID No.	: 4112566U
Age / Gender	: 37 Y / Female	Sample Collected On	: 25-08-2025 16:38
Patient ID	: QLD112017	Registered On	: 25-08-2025 16:43
Referred By	: CITY CARE	Reported on	: 26-08-2025 07:13
Referral Client	: CITICARE MEDICAL CENTER	External Patient ID	: 43909
Emirates ID / Passport No	: 784198815284512	Print Version	: V.1

Department of CLINICAL PATHOLOGY

COMPREHENSIVE URINE ANALYSIS

<u>Investigation</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>Biological Reference Interval</u>	<u>Method</u>
BACTERIA	Nil		/HPF	0 - 5	Microscopy
BACTERIA CLUMP	Nil		/HPF	0 - 5	Microscopy
BACTERIA RODS	Nil		/HPF	0 - 5	Microscopy
BACTERIA COCCI	Nil		/HPF	0 - 5	Microscopy
HYALINE CAST	Nil		/HPF	NIL	Microscopy
PATHOLOGICAL CAST	Nil		/HPF	NIL	Microscopy
GRANULAR CAST	Nil		/HPF	NIL	Microscopy
CELLULAR CAST	Nil		/HPF	NIL	Microscopy
WAXY CAST	Nil		/HPF	NIL	Microscopy
RBC CAST	Nil		/HPF	NIL	Microscopy
WBC CAST	Nil		/HPF	NIL	Microscopy
FACT	Nil		/HPF	NIL	Microscopy
CALCIUM OXALATE CRYSTALS	Nil		/HPF	NIL	Microscopy
MONOHYDRATE CALCIUM CRYSTALS	Nil		/HPF	NIL	Microscopy
TRIPLE PHOSPHATE CRYSTALS	Nil		/HPF	NIL	Microscopy
URIC ACID CRYSTALS	Nil		/HPF	NIL	Microscopy
OTHER SMALL CRYSTALS	Nil		/HPF	NIL	Microscopy
CALCIUM PHOSPHATE CRYSTALS	Nil		/HPF	NIL	Microscopy
LEUCINE CRYSTALS	Nil		/HPF	NIL	Microscopy
CYSTINE CRYSTALS	Nil		/HPF	NIL	Microscopy
TYROSINE CRYSTALS	Nil		/HPF	NIL	Microscopy
AMORPHOUS CRYSTALS	Nil		/HPF	NIL	Microscopy

"QLabs compliance with ISO 15189:2022 standards"



MURSHID KUDUKKIL
Microbiology Technologist

DHA No.56890259-001




Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Patient Name	: Ms. ALANA WALLACE	Sample UID No.	: 4112566U
Age / Gender	: 37 Y / Female	Sample Collected On	: 25-08-2025 16:38
Patient ID	: QLD112017	Registered On	: 25-08-2025 16:43
Referred By	: CITY CARE	Reported on	: 26-08-2025 07:13
Referral Client	: CITICARE MEDICAL CENTER	External Patient ID	: 43909
Emirates ID / Passport No	: 784198815284512	Print Version	: V.1

Department of CLINICAL PATHOLOGY

COMPREHENSIVE URINE ANALYSIS

<u>Investigation</u>	<u>Results</u>	<u>Flag</u>	<u>Units</u>	<u>Biological Reference Interval</u>	<u>Method</u>
CHOLESTEROL CRYSTALS	Nil		/HPF	NIL	Microscopy
FAT	Nil		/HPF	NIL	Microscopy
MUCUS	Occasional		/HPF	NIL	Microscopy
YEAST	Nil		/HPF	NIL	Microscopy
UNCLASSIFIED	Nil		/HPF	NIL	Microscopy
OTHERS	Nil		/HPF	NIL	Microscopy

- END OF REPORT -

"QLabs compliance with ISO 15189:2022 standards"



MURSHID KUDUKKIL
Microbiology Technologist

DHA No.56890259-001




Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Patient Name : Ms. ALANA WALLACE
Age / Gender : 37 Y / Female
Patient ID : QLD112017
Referred By : CITY CARE
Referral Client : CITICARE MEDICAL CENTER

Sample UID No. : 4112566U
Sample Collected On : 25-08-2025 16:38
Registered On : 25-08-2025 16:43
Reported on : 27-08-2025 15:55
External Patient ID : 43909
Print Version : V.1

Department of MICROBIOLOGY
CULTURE AND SENSITIVITY (URINE)
Final Report

Result

Organism Details

Specimen : Urine
Culture report: **No growth of uropathogens after 48 hours of aerobic incubation.**

Comments:

- A. Colony count criteria:
- <10,000 CFU/ml - not significant
- 10,000 - 100000- doubtful significant (suggest repeat sample)
- >100,000CFU/ml- significant bacteriuria
- B. Ureaplasma, Mycoplasma, and Chlamydia are not detected with conventional media.
- C. Quality controls for organisms are routinely performed using recommended ATCC strains.
- D. Antibiotic susceptibility testing is detected by Disc diffusion method based on Performance standard for Antimicrobial susceptibility testing M100 CLSI 30th edition.

References:

1. Clinical Microbiology procedures Handbook - Amy .L. Leber -4th edition.
2. Konneman colour Atlas and Textbook of Diagnostic Microbiology 7th edition.
3. CLSI M100 Ed 31 performance standards for Antimicrobial susceptibility testing.

- END OF REPORT -

"QLabs compliance with ISO 15189:2022 standards"

Verified By



MURSHID KUDUKKIL
Microbiology Technologist

DHA No.56890259-001



Authorised By



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004

Page 1 of 1