

Patient Name	: Mr. BILAL MUNIR MUHAMMAD MUNIR	Sample UID No.	: G4112885F
Age / Gender	: 35 Y / Male	Sample Collected On	: 26-08-2025 10:25
Patient ID	: QLD112336	Registered On	: 26-08-2025 16:10
Referred By	: Dr. AISHA	Reported on	: 27-08-2025 06:59
Referral Client	: CITICARE MEDICAL CENTER(INSURANCE)	External Patient ID	: 31449
Emirates ID / Passport No	:	Print Version	: V.1

BIOCHEMISTRY					
Test Name	Results	Biological Reference Interval	Units	Specimen	Test Method
Glycosylated Hemoglobin (HbA1c) <i>Sample : Whole Blood EDTA</i>					
Glycosylated Hemoglobin (HbA1c)	5.06	Normal: <5.7 Prediabetes: 5.7 - 6.4 Diabetes: >6.5	%		HPLC
Estimated Average Glucose (eAG) *	98.52		mg/dL		Calculation
Notes: Conditions like iron deficiency anemia, can give false elevated values and hence plasma glucose monitoring is advised by NGSP. Hemolytic and blood loss anemia, and conditions leading to short red cell life can cause falsely lower hba1c levels. In haemoglobinopathies where hbf >10%, hba1c levels are not reliable due to technical limitations of the methodology.					
--- END OF BIOCHEMISTRY---					



Dr. Vidhya Mohan
Specialist Clinical Pathologist
Clinical Pathologist
DHA No. 23553203-004

This Test is Outsourced to an Accredited Laboratory
--- End of Report ---

Page 1 of 1



Dr. Dheepa Manoharan
Medical Director
Specialist Microbiologist
DHA No. 00231751-004